

[54] TIME DISPLAY

[76] Inventor: Warren L. Harvey, 134 Woodport Rd., Sparta, N.J. 07871

[**] Term: 14 Years

[21] Appl. No.: 699,579

[22] Filed: Feb. 8, 1985

[52] U.S. Cl. D10/126; D10/122

[58] Field of Search D10/1-27,
D10/30-39, 122-126; 368/223, 233, 82-84,
239-242; 340/765, 716, 753

[56] References Cited

U.S. PATENT DOCUMENTS

D. 99,587 5/1936 Ribera D10/1 X
D. 218,945 10/1970 Worthington D10/123 X
D. 218,947 10/1970 Worthington D10/123 X
D. 248,931 8/1978 Nakamura D10/125
D. 249,025 8/1978 Nakamura D10/125
3,803,831 4/1974 Horzick 368/233
4,254,489 3/1981 Azzam 340/765 X

FOREIGN PATENT DOCUMENTS

21778 2/1979 Japan 368/223
50682 3/1982 Japan 368/223
206888 12/1982 Japan 368/240
88692 5/1983 Japan 368/239

OTHER PUBLICATIONS

Jeweler's Circular-Keystone-7/81-p. 46-Time Display-Watch at bottom.

Jeweler's Circular-Keystone-2/79-p. 178-Watch at bottom-right.

Primary Examiner—Nelson C. Holtje

[57] CLAIM

The ornamental design for a time display, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a time display showing my new design in an energized condition showing a typical time indication of 5:00 O'clock;

FIG. 2 is a front elevational view thereof in an energized condition showing a typical time indication of 7:08 O'clock;


FIG. 3 is another front elevational view thereof in an energized condition showing a typical time indication of 1:09 O'clock;

FIG. 4 is another front elevational view thereof in an energized condition showing a typical day/date indication of Thursday, Dec. 25, 1986;

FIG. 5 is another front elevational view thereof in a totally energized condition showing all elements activated;

FIG. 6 is a typical side elevational view thereof;

The rear of the display is plain and unornamented.






FIG. 1.




FIG. 3.




FIG. 2.




FIG. 4.




FIG. 5.



FIG. 6.