

[54] FLASHING LIGHT SAFETY BELT

[76] Inventor: Vernon D. Green, 104 East, 5350
South, Ogden, Utah 84403

[**] Term: 14 Years

[21] Appl. No.: 630,745

[22] Filed: Jul. 13, 1984

[52] U.S. Cl. D2/628; D2/630;
D10/114

[58] Field of Search D2/400, 380-394,
D2/401; D10/114; D26/39; 340/321; 362/103,
108

[56] References Cited

U.S. PATENT DOCUMENTS

D. 29,490 10/1898 Varni-Gardinier D2/383
D. 212,722 11/1968 Kahn D10/114
1,699,626 1/1929 Olson 340/321
2,199,996 5/1940 Hobson et al. 362/103 X
2,378,075 6/1945 Frecska 340/321

3,008,040 11/1961 Moore D26/39 X
3,720,918 3/1973 Perl 340/321 X
3,944,803 3/1976 Chao 340/321 X
4,173,201 11/1979 Chao et al. 362/103 X

OTHER PUBLICATIONS

Notion and Novelty Review, 7-1935, p. 14, Belt #2.

Primary Examiner—Bernard Ansher

Assistant Examiner—Linda Titolo


Attorney, Agent, or Firm—A. Ray Osburn

[57] CLAIM

The ornamental design for a flashing light safety belt, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view in an open position of a flashing light safety belt showing my new design; FIG. 2 is a rear elevational view thereof; and FIG. 3 is a top perspective view thereof, with the safety belt in a closed position.






FIG. 1



FIG. 2




FIG. 3