United States Patent

Nakata

Patent Number: Des. 291,947 [11]Date of Patent: ** Sep. 22, 1987 [45]

<u></u>		·	
[54]	CASE FO	R WR	ITING INSTRUMENTS
[75]	Inventor:	Tosh	iaki Nakata, Tokyo, Japan
[73]	Assignee:	Plus	Corporation, Tokyo, Japan
[**]	Term:	14 Y	ears
[21]	Appl. No	.: 845,	359
[22]	Filed:	Mar	. 19, 1986
[30] Foreign Application Priority Data			
Nov [52]	U.S. Cl		Japan D3/74; D 3/30.1; D 19/85
[58] Field of Search			
[56]		Re	ferences Cited
U.S. PATENT DOCUMENTS			
). 109,850	5/1938	Melone
Г	253,180, 10	0/1979	Anderka D19/85
D. 284,606 7/1 1,130,811 3/1		//1986 2/1015	Koontz D27/47
1,130,811 3/		5/1921	Bashwiner .
1,988,104 1/1		1/1935	Andrews .
2,412,938 12/		2/1946	Amoth.

FOREIGN PATENT DOCUMENTS

2154431 5/1973 Fed. Rep. of Germany.

1/1986 Katada et al. .

6/1965 Kihara.

2/1969 Danjczek.

7/1980 Takahashi .


3,187,723

3,428,380

4,210,239

4,562,923

Primary Examiner-George P. Word



Attorney, Agent, or Firm-McAulay, Fields, Fisher, Goldstein & Nissen

[57]

CLAIM

The ornamental design for a case for writing instruments, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a case for writing instruments showing my new design, with the cover in the closed position;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a right side view thereof, the left side view being identical thereto;

FIG. 5 is a rear elevational view thereof; FIG. 6 is a vertical sectional view thereof;

FIG. 7 is a front elevational view of the body portion of the case for writing instruments shown in FIG. 1;

FIG. 8 is a top plan view thereof;

FIG. 9 is a bottom plan view thereof;

FIG. 10 is a right side view thereof, the left side view being identical thereto;

FIG. 11 is a rear elevational view thereof;

FIG. 12 is a front elevational view of the cap portion of the case for writing instruments shown in FIG. 1;

FIG. 13 is a top plan view thereof;

FIG. 14 is a bottom plan view thereof;


FIG. 15 is a right side view thereof, the left side view being identical thereto;


FIG. 16 is a rear elevational view thereof;


FIG. 17 is a vertical sectional view thereof as viewed from the right;


FIG. 18 is a perspective view as viewed from the right front of the case for writing instruments shown in FIG. **1**; and


FIG. 19 is a further perspective view as viewed from the top front showing the case for writing instruments of FIG. 1 in the open position and a portion of the cap.
















Fig. 17. Fig. 12. Fig. 16.





Fig. 14.






Fig. 19.

