

[54] COIN SELECTOR FOR AUTOMATIC VENDOR

[75] Inventors: Osamu Kobayashi; Masanori Tanaka; Masaki Akagawa, all of Sakado; Ryoji Yamagishi, Kawagoe, all of Japan

[73] Assignee: Kabushiki Kaisha Nippon Coinco, Tokyo, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 680,546

[22] Filed: Dec. 11, 1984

[30] Foreign Application Priority Data

Jun. 29, 1984 [JP] Japan ..... 59-26564

[52] U.S. Cl. .... D20/9

[58] Field of Search ..... D20/1-9; 194/345, 336, 321, 317

[56] References Cited

U.S. PATENT DOCUMENTS

D. 115,125 6/1939 Patzer et al. .... D20/9

2,226,873	12/1940	Patzer et al. ....	194/321
2,669,337	2/1954	Stewart .....	194/345
3,120,300	2/1964	Haverstick .....	194/336
3,382,962	5/1968	Nielsen .....	194/345
3,722,653	3/1973	Hennessy .....	194/336 X
4,550,818	11/1985	Holliday .....	194/317 X

Primary Examiner—Bernard Ansher  
Assistant Examiner—Linda Titolo  
Attorney, Agent, or Firm—Bruce L. Adams; Van C. Wilks

[57] CLAIM

The ornamental design for a coin selector for automatic vendor, substantially as shown.

DESCRIPTION

FIG. 1 is a top, front, and right side perspective view of a coin selector for automatic vendor, showing our new design;

FIG. 2 is a left side elevational view thereof;


FIG. 3 is a front elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a top plan view thereof; and

FIG. 7 is a bottom plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4






FIG. 5




FIG. 6




FIG. 7