

[54] COIN SELECTOR FOR AUTOMATIC VENDOR

[75] Inventors: Osamu Kobayashi; Masanori Tanaka; Masaki Akagawa, all of Sakado; Ryoji Yamagishi, Kawagoe, all of Japan

[73] Assignee: Kabushiki Kaisha Nippon Coinco, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 680,546

[22] Filed: Dec. 11, 1984

[30] Foreign Application Priority Data

Jun. 29, 1984 [JP] Japan 59-26564
[52] U.S. Cl. D20/9
[58] Field of Search D20/1-9; 194/345, 336, 321, 317

[56] References Cited

U.S. PATENT DOCUMENTS

D. 115,125 6/1939 Patzer et al. D20/9

| | | | |
|-----------|---------|--------------------|-----------|
| 2,226,873 | 12/1940 | Patzer et al. | 194/321 |
| 2,669,337 | 2/1954 | Stewart | 194/345 |
| 3,120,300 | 2/1964 | Haverstick | 194/336 |
| 3,382,962 | 5/1968 | Nielsen | 194/345 |
| 3,722,653 | 3/1973 | Hennessy | 194/336 X |
| 4,550,818 | 11/1985 | Holliday | 194/317 X |


Primary Examiner—Bernard Ansher
Assistant Examiner—Linda Titolo
Attorney, Agent, or Firm—Bruce L. Adams; Van C. Wilks

[57] CLAIM

The ornamental design for a coin selector for automatic vendor, substantially as shown.

DESCRIPTION

FIG. 1 is a top, front, and right side perspective view of a coin selector for automatic vendor, showing our new design;
FIG. 2 is a left side elevational view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a top plan view thereof; and
FIG. 7 is a bottom plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7