

[54] PYROMETER

[75] Inventor: Earl Hoyt, Franklin Lakes, N.J.

[73] Assignee: Quantum Logic Corporation, Secaucus, N.J.

[**] Term: 14 Years

[21] Appl. No.: 711,268

[22] Filed: Mar. 13, 1985

[52] U.S. Cl. D10/57

[58] Field of Search D10/57; 374/190-192, 374/194, 208, 130-131, 121; 356/43, 45, 46, 49, 50

[56] References Cited

U.S. PATENT DOCUMENTS

D. 246,766	12/1977	Everest	D10/57
D. 247,352	2/1978	Heininger	D10/57
D. 254,959	5/1980	Everest	D10/57
1,891,039	12/1932	Barton	356/50 X
1,908,977	5/1933	Grüss	356/50
3,264,931	8/1966	Ackerman	374/130 X
3,269,255	8/1966	Shaw	356/43 X
3,545,868	12/1970	Duncan	356/45 X

4,400,097	8/1983	Koschnitzke	374/121
4,634,294	1/1987	Christol	374/130

FOREIGN PATENT DOCUMENTS

143267	10/1935	Austria	356/49
--------	---------	---------	-------	--------

OTHER PUBLICATIONS

Leeds & Northrup Co. (Flyer)—11/5/68—front cover —#8634 Precision Optical Pyrometer at top left.


Primary Examiner—Nelson C. Holtje

[57] CLAIM

The ornamental design for a pyrometer, as shown and described.

DESCRIPTION

FIG. 1 is a top and right front perspective view of a pyrometer showing my new design;
 FIG. 2 is a right side elevational view thereof;
 FIG. 3 is a rear elevational view thereof;
 FIG. 4 is a left side elevational view thereof;
 FIG. 5 is a front elevational view thereof;
 FIG. 6 is a top plan view thereof;
 FIG. 7 is a bottom plan view thereof.






Fig. 1




Fig. 3




Fig. 2




Fig. 5




Fig. 4




Fig. 7




Fig. 6