

[54] PROGRAMABLE CONTROLLER

[75] Inventor: Guy Boucher, Paris, France

[73] Assignee: Telemecanique Electrique

[**] Term: 14 Years

[21] Appl. No.: 703,588

[22] Filed: Feb. 20, 1985

[30] Foreign Application Priority Data

Aug. 24, 1984 [FR] France 84 3762

[52] U.S. Cl. D13/12

[58] Field of Search D13/12, 35, 40-41,
D13/99; D14/46, 100, 103; 361/331-334, 347,
352, 380, 390, 399

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 231,606 12/1985 Nuttall et al. D14/100
- D. 258,654 3/1981 Levy D14/100
- D. 269,605 7/1983 Provanzano et al. D13/12

- D. 278,710 5/1985 Shimizu et al. D13/12
- D. 282,253 1/1986 Shimizu et al. D13/12
- D. 285,923 9/1986 Takahashi et al. D14/100
- 4,125,782 11/1978 Pollnow, Jr. D13/12
- 4,152,749 5/1979 Knickerbocker 361/352
- 4,195,896 4/1980 Wagner et al. 361/352
- 4,203,013 5/1980 Serras-Paulet 200/302.2


Primary Examiner—Wallace R. Burke
Assistant Examiner—Ruth E. Takemoto
Attorney, Agent, or Firm—William A. Drucker

[57] CLAIM

The ornamental design for a programable controller, as shown.

DESCRIPTION

FIG. 1 is a top, front and right side perspective view of a programmable controller showing my new design; FIG. 2 is a top, front and left side perspective view thereof; FIG. 3 is a front elevational view thereof. The undisclosed rear and bottom is substantially flat and unornamented.






FIG. 1a




FIG. 1b




FIG. 1c