

[54] CONNECTOR FOR A SINGLE STRUT MINE ROOF TRUSS

[76] Inventor: Ben L. Seegmiller, 3500 Loren Von Dr., Salt Lake City, Utah 84124

[\*\*] Term: 14 Years

[21] Appl. No.: 695,785

[22] Filed: Jan. 28, 1985

[52] U.S. Cl. .... D8/382; D8/399

[58] Field of Search ..... D8/382, 399; 405/259, 405/288

[56] References Cited

U.S. PATENT DOCUMENTS

D. 275,452	9/1984	Payne	88/399
3,427,811	3/1967	White	405/259
3,505,824	2/1969	White	405/259
3,601,994	8/1971	Galis	405/259
4,395,161	7/1983	Wilson et al.	
4,456,405	6/1984	Galis	405/259
4,498,816	2/1985	Korpela et al.	405/288

OTHER PUBLICATIONS

Design of Supports in Mines by Cemal Birön et al., [pp. 105, 119, 421].

Double Bolt Truss, from F. M. Locotos Co., Inc., [one page].

Current Trends . . . , by C. P. Mangelsdorf, [pp. 108, 110].

Mine Roof Truss System, from Hansen Corp., [one page].

Page 17 of Unidentified Article—Comprising Figures 8 and 9.

Pattin Truss System advertisement.

Primary Examiner—B. J. Bullock

Attorney, Agent, or Firm—Lynn G. Foster

[57] CLAIM

The ornamental design for a connector for a single strut mine roof truss, substantially as shown.

DESCRIPTION

FIG. 1 is a bottom, front isometric view of a connector for a single strut mine roof truss showing my new design;

FIG. 2 is a bottom, rear isometric view thereof;

FIG. 3 is a left end elevational view thereof;


FIG. 4 is a right end elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a front elevational view thereof; and

FIG. 8 is a sectional view taken in the direction of the arrows on line 8—8 of FIG. 1.







Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8