

[54] COMBINED GARMENT BAG AND BRIEFCASE

[75] Inventor: James H. Allen, Covington, Ky.
[73] Assignee: 'totes', Incorporated, Loveland, Ohio
[\*\*] Term: 14 Years
[21] Appl. No.: 706,171
[22] Filed: Feb. 27, 1985
[52] U.S. Cl. D3/48; D3/71; D7/76
[58] Field of Search D3/30.1, 42-43, D3/48, 71, 76, 77; 190/100, 110; 206/286-287.1

[56] References Cited

U.S. PATENT DOCUMENTS

Table with 4 columns: Patent No., Date, Inventor, and Class. Includes entries for Katz et al., Allen, Cooper, Bomes et al., and Gerch.

Primary Examiner—George P. Word
Attorney, Agent, or Firm—Wood, Herron & Evans



[57] CLAIM

The ornamental design of a combined garment bag and briefcase, as shown and described.

DESCRIPTION

FIG. 1 is a side elevational view of a combined garment bag and briefcase showing my new design with a shoulder strap in the carrying position;
FIG. 2 is a top plan view of the combination cases as shown in FIG. 1, but with the strap re-located for illustrating the handle;
FIG. 3 is a side elevational view of the other side of the combination cases as shown in FIG. 1;
FIG. 4 is a bottom plan view of the combination cases as shown in FIG. 1;
FIG. 5 is an end view of one end of the combination

cases as shown in FIG. 1, the other end being a mirror image thereof;
FIG. 6 is a side elevational view of one side of the garment bag portion of the combined garment bag and briefcase when same is separated from the combination shown in FIGS. 1-5, the garment bag being shown in a fold up or carrying position with the shoulder strap connected thereto, the other side of the garment bag portion being shown in FIG. 3;
FIG. 7 is an end view of one end of the garment bag portion shown in FIG. 6, the other end being a mirror image thereof;
FIG. 8 is a top plan view of the garment bag portion shown in FIG. 6, but with the shoulder strap re-located for illustrating the handle;
FIG. 9 is a bottom plan view of the garment bag portion shown in FIG. 6;
FIG. 10 is a side elevational view of one side of the briefcase portion of the combined garment bag and briefcase when same is separated from the combination shown in FIGS. 1-5;
FIG. 11 is an end view of one end of the briefcase portion shown in FIG. 10, the other end being a mirror image thereof;
FIG. 12 is a side elevational view of the other side of the briefcase portion shown in FIG. 10;
FIG. 13 is a top plan view of the briefcase portion shown in FIG. 10;
FIG. 14 is a bottom plan view of the briefcase portion shown in FIG. 10;
FIG. 15 is a side elevational view of one side of the garment bag portion of the combined garment bag and briefcase when same is separated from the combination shown with the shoulder strap omitted;
FIG. 16 is a side elevational view of the other side of the garment bag portion as shown in FIG. 15;
FIG. 17 is an end view of one end of the garment bag portion shown in FIG. 15, the other end being a mirror image thereof;
FIG. 18 is a top plan view of the garment bag portion shown in FIG. 15, but with the shoulder strap omitted; and
FIG. 19 is a bottom plan view of the garment bag portion shown in FIG. 15.






FIG. 1




FIG. 2






FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 8




FIG. 9




FIG. 6




FIG. 10




FIG. 11






FIG. 12




FIG. 13




FIG. 14




FIG. 18




FIG. 19




FIG. 15




FIG. 16




FIG. 17