

[54] RAIL ASSEMBLY FOR AWNING OR SIMILAR ARTICLE

[76] Inventor: Ulrich Clauss, Bissinger Strasse 6, D-7311 Bissingen-Ochsenwang, Fed. Rep. of Germany

[**] Term: 14 Years

[21] Appl. No.: 617,756

[22] Filed: Jun. 6, 1984

[52] U.S. Cl. D8/377; 160/22

[58] Field of Search D8/377, 376; 160/178 R, 160/67, 19, 45, 47, 22; D25/57; 248/273; 52/74, 530, 75

[56] References Cited

U.S. PATENT DOCUMENTS

D. 179,283	11/1956	Dietz	D25/57
608,077	7/1898	Powell	160/22
1,448,059	3/1923	Gahn	160/22
2,110,807	3/1938	Metzger	160/22
2,199,134	4/1940	Johnson	52/74
2,256,609	9/1941	Bruns	D25/57
2,500,285	5/1950	Wagner	160/22
2,720,415	10/1955	Helury, Jr. et al.	52/74
3,001,577	9/1961	Anderson	160/67
3,851,848	12/1974	Uiele	248/273
3,923,074	12/1975	McKee	160/22
3,991,805	11/1976	Clauss	160/22
4,158,244	6/1979	Stefan	248/273
4,171,013	10/1979	Clark	160/22
4,188,964	2/1980	Greer	160/67

Primary Examiner—Wallace R. Burke
Assistant Examiner—Horace B. Fay

Attorney, Agent, or Firm—Frishauf, Holtz, Goodman & Woodward

[57] CLAIM

The ornamental design for a rail assembly for awning or similar article, substantially as shown and described.

DESCRIPTION

FIG. 1 is a left end perspective view, as seen from behind and below of a rail assembly for awning or similar article being broken away to indicate indeterminate length;

FIG. 2 is a perspective view thereof as seen from the left front and below with the main elongated member being broken away to show shape and to indicate indeterminate length, and the left end panel being partially broken away;

FIG. 3 is a right end perspective view thereof from behind and above as shown in FIG. 1;

FIGS. 4, 5 and 6 are respectively top plan, front elevational, and bottom plan views thereof;

FIG. 7 is a sectional view thereof taken along the line 7-7 in FIG. 2;

FIGS. 8 and 9 are respectively left and right end elevational views thereof;


FIG. 10 is a rear elevational view thereof;




FIG. 11 is a front elevational view of a second embodiment thereof, the only difference from the first embodiment being contrast in color;

FIG. 12 is a right or left end elevational view of FIG. 11;

FIGS. 13, 15 and 17 are respectively front elevational views of third, fourth, and fifth embodiments thereof, the sole difference being contrast in color, and

FIGS. 14, 16, and 18 are respectively right or left end elevational views of FIGS. 13, 15 and 17.








FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8





FIG. 9

FIG. 10






FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18