

[54] BUCKLE

[75] Inventor: Kazumi Kasai, Namerikawa, Japan

[73] Assignee: Nippon Notion Kogyo Co. Ltd.,  
Tokyo, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 712,443

[22] Filed: Mar. 18, 1985

[30] Foreign Application Priority Data

Nov. 28, 1984 [JP] Japan ..... D59-48927

[52] U.S. Cl. .... D11/216

[58] Field of Search ..... D11/200, 201, 208, 216,  
D11/218, 220; 63/2; 24/163 R, 163 K, 170,  
307-314, 323, 644, 650, 651, 171, 196

[56] References Cited

U.S. PATENT DOCUMENTS

D. 276,477	11/1984	Kanzaka	.....	D11/216
3,336,641	8/1967	Hunter	.....	D11/216 X
4,150,464	4/1979	Tracy	.....	24/313
4,604,772	8/1986	Arff	.....	24/311 X

Primary Examiner—Louis S. Zarfes

Attorney, Agent, or Firm—Hill, Van Santen, Steadman & Simpson

[57] CLAIM

The ornamental design for a buckle as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a buckle showing my new design;

FIG. 2 is a rear elevational view of the buckle of FIG. 1;

FIG. 3 is a top plan view of the buckle.

FIG. 4 is a bottom plan view of the buckle;

FIG. 5 is a right side-elevational view of the buckle;

FIG. 6 is a cross-sectional view taken along line A—A of FIG. 5,

FIG. 7 is cross-sectional view taken along line B—B of FIG. 1;

FIG. 8 is a front elevational view of the male member of the buckle of FIG. 1;

FIG. 9 is a right side elevational view of the male member of FIG. 8;

FIG. 10 is a top plan view of the male member;

FIG. 11 is a bottom plan view of the male member;

FIG. 12 is a cross-sectional view taken along line C—C of FIG. 8;

FIG. 13 is a front elevational view of the female member of the buckle of FIG. 1;

FIG. 14 is a rear view of the female member;

FIG. 15 is a top plan view of the female member;

FIG. 16 is a bottom plan view of the female member;

FIG. 17 is a right side elevational view of the female member;

FIG. 18 is a cross-sectional view taken along line D—D of FIG. 17;

FIG. 19 is a front elevational view of the anchoring base of the buckle of FIG. 1;

FIG. 20 is a rear elevational view of the anchoring base;

FIG. 21 is a top plan view of the anchoring base;

FIG. 22 is a bottom plan view of the anchoring base;

FIG. 23 is a right side elevational view of the anchoring base; and

FIG. 24 is a cross-sectional view taken long line E—E of FIG. 19.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6




FIG. 8




FIG. 9



FIG. 10




FIG. 12




FIG. 11



FIG. 13



FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23



FIG. 24

