United States Patent [19]

Kasai

[11] Patent Number: Des. 292,898

[45] Date of Patent: ** Nov. 24, 1987

[54]	BUCKLE		
[75]	Inventor:	Kazumi Kasai, Namerikawa, Japan	
[73]	Assignee:	Nippon Notion Kogyo Co. Ltd., Tokyo, Japan	
[**]	Term:	14 Years	
[21]	Appl. No.:	712,443	
[22]	Filed:	Mar. 18, 1985	
[30]	Foreign Application Priority Data		
Nov	. 28, 1984 [JF	⁹] Japan D59-4892	
	U.S. Cl D11/21		
[58]	Field of Search		
	D11/	218, 220; 63/2; 24/163 R, 163 K, 170	
		307–314, 323, 644, 650, 651, 171, 19	
[56]	References Cited		
	U.S. PATENT DOCUMENTS		

D. 276,477	11/1984	Kanzaka D11/216
3,336,641	8/1967	Hunter D11/216 X

Primary Examiner—Louis S. Zarfas
Attorney, Agent, or Firm—Hill, Van Santen, Steadman & Simpson

[57] CLAIM

The ornamental design for a buckle as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a buckle showing my new design;

FIG. 2 is a rear elevational view of the buckle of FIG. 1;

FIG. 3 is a top plan view of the buckle.

FIG. 4 is a bottom plan view of the buckle;

FIG. 5 is a right side-elevational view of the buckle;

FIG. 6 is a cross-sectional view taken along line A—A of FIG. 5,

FIG. 7 is cross-sectional view taken along line B—B of FIG. 1;

FIG. 8 is a front elevational view of the male member of the buckle of FIG. 1;

FIG. 9 is a right side elevational view of the male member of FIG. 8;

FIG. 10 is a top plan view of the male member;

FIG. 11 is a bottom plan view of the male member;

FIG. 12 is a cross-sectional view taken along line C—C of FIG. 8;

FIG. 13 is a front elevational view of the female member of the buckle of FIG. 1;

FIG. 14 is a rear view of the female member;

FIG. 15 is a top plan view of the female member;

FIG. 16 is a bottom plan view of the female member;

FIG. 17 is a right side elevational view of the female member;

FIG. 18 is a cross-sectional view taken along line D—D of FIG. 17:

FIG. 19 is a front elevational view of the anchoring base of the buckle of FIG. 1;


FIG. 20 is a rear elevational view of the anchoring base;


FIG. 21 is a top plan view of the anchoring base;


FIG. 22 is a bottom plan view of the anchoring base;


FIG. 23 is a right side elevational view of the anchoring base; and


FIG. 24 is a cross-sectional view taken long line E—E of FIG. 19.











.

FIG. 5





FIG. 7











FIG. 9





U.S. Patent Nov. 24, 1987 Sheet 4 of 5 Des. 292,898

FIG. 13



F1G. 14






FIG. 15



F1G. 16



F1G. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23



FIG. 24

