

United States Patent [19]
Hengesbach

[11] Patent Number: **Des. 293,127**
 [45] Date of Patent: **** Dec. 8, 1987**

[54] **FLOW CONTROL NOZZLE FOR SPRAYERS**

[76] Inventor: **Robert W. Hengesbach**, 7886 Mentor Rd., Mentor, Ohio 44060

[*] Notice: The portion of the term of this patent subsequent to Jan. 28, 2000 has been disclaimed.

[**] Term: **14 Years**

[21] Appl. No.: **674,272**

[22] Filed: **Nov. 23, 1984**

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 461,874, Jan. 28, 1983, Pat. No. Des. 282,392.

[52] U.S. Cl. **D23/226**

[58] Field of Search **D23/17-18, D23/19-22, 27, 34-35; 406/152; 141/19; 239/8, 134, 337, 525-526, 532; 251/231; 294/25-26**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 282,392	1/1986	Hengesbach	D23/17
D. 284,301	6/1986	Hengesbach	D23/17
D. 285,242	8/1986	Hengesbach	D23/17
D. 285,477	9/1986	Hengesbach	D23/18
3,037,710	6/1962	Kusznier	239/526
3,056,557	10/1962	Walberg	D23/17 UX
3,107,858	10/1963	Ganzel et al.	239/526
3,880,356	4/1975	Chandler	239/526 X
4,449,696	5/1984	Hengesbach	251/231
4,471,911	9/1984	Hengesbach	239/327
4,494,699	1/1985	Hengesbach	239/499
4,496,179	1/1985	Ogle	294/26
4,515,310	5/1985	Hengesbach	239/8
4,569,160	2/1986	Hengesbach	51/427


Primary Examiner—Wallace R. Burke
Assistant Examiner—Brian N. Vinson
Attorney, Agent, or Firm—David A. Burge

[57] **CLAIM**

The ornamental design for a flow control nozzle for sprayers, as shown and described.

DESCRIPTION

FIG. 1 is a right side elevational view of a flow control nozzle for sprayers showing my new design, the left side being a mirror image;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a bottom plan view thereof;
 FIG. 4 is a front end elevational view thereof;
 FIG. 5 is a rear end elevational view thereof;
 FIG. 6 is a right side elevational view of a second embodiment thereof, the left side being a mirror image;
 FIG. 7 is a top plan view of the embodiment of FIG. 6;
 FIG. 8 is a bottom plan view of the embodiment of FIG. 6;
 FIG. 9 is a front end elevational view of the embodiment of FIG. 6;
 FIG. 10 is a rear end elevational view of the embodiment of FIG. 6;
 FIG. 11 is a right side elevational view of a third embodiment thereof, the left side being a mirror image;
 FIG. 12 is a top plan view of the embodiment of FIG. 11;
 FIG. 13 is a bottom plan view of the embodiment of FIG. 11;
 FIG. 14 is a front end elevational view of the embodiment of FIG. 11;
 FIG. 15 is a rear end elevational view of the embodiment of FIG. 11;
 FIG. 16 is a right side elevational view of a fourth embodiment thereof, the left side being a mirror image;
 FIG. 17 is a top plan view of the embodiment of FIG. 16;
 FIG. 18 is a bottom plan view of the embodiment of FIG. 16;
 FIG. 19 is a front end elevational view of the embodiment of FIG. 16; and,
 FIG. 20 is a rear end elevational view of the embodiment of FIG. 16.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20