# United States Patent [19]

# **Smith**

[11] Patent Number: Des. 293,229
[45] Date of Patent: \*\* Dec. 15, 1987

[54]	COMBINED SPARE TIRE AND TRAILER HITCH FOR STANDARD RECEIVER BARS		
[76]	Inventor		land A. Smith, 2483 American e., Hayward, Calif. 94545
[**]	Term:	14	Years
[21]	Appl. No.: 804,359		
[52]	Filed: Nov. 8, 1985 U.S. Cl		
[56]	References Cited		
	U.S	. PAT	ENT DOCUMENTS
D. 268,574 4/1		4/1983	Learn
	O	THER	R PUBLICATIONS

### OTHER PUBLICATIONS

J. C. Whitney Catalog No. 451D, ©1984, p. 46, Front Tire Carriers, left side of page.

Primary Examiner—James M. Gandy Attorney, Agent, or Firm—Linval B. Castle

## [57]

The ornamental design of a combined spare tire and trailer hitch for standard receiver bars, as shown and described.

**CLAIM** 

#### DESCRIPTION

FIG. 1 is a side elevational view of a combined spare tire and trailer hitch for standard receiver bars, showing my new design it being understood that the broken line illustration of a mounted spare tire and a typical receiver bar are for illustrative purposes only and form no part of the claimed design;

FIG. 2 is the opposite side elevational view thereof;

FIG. 3 is a rear end elevational view thereof;

FIG. 4 is a front end elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a perspective view thereof;


FIG. 8 is a side elevational view illustrating either side of a second embodiment of a combined spare tire and trailer hitch for standard receiver bars for supporting two spare tires;


FIG. 9 is a rear end elevational view of FIG. 8;

FIG. 10 is a front end elevational view of FIG. 8;

FIG. 11 is a top plan view of FIG. 8; and

FIG. 12 is a bottom plan view of FIG. 8.








FIG. 4

FIG. 3

FIG.5

FIG.6

