

[54] HEADSET FOR USE IN APPLYING ELECTRICAL SIGNALS TO THE TEMPLES

[76] Inventor: Stephen C. Beck, 1350 Summit Rd., Berkeley, Calif. 94708

[**] Term: 14 Years

[21] Appl. No.: 752,462

[22] Filed: Jul. 1, 1985

[52] U.S. Cl. D24/17; D16/107

[58] Field of Search D2/234; D29/9, 18; D16/102, 107; 2/426-454, 12, 13, 15; 351/41, 44, 47, 48; 128/1 C, 793, 420; D24/8, 17

[56] References Cited

U.S. PATENT DOCUMENTS

296,388 4/1884 Choate et al. 2/433
4,021,878 5/1977 Peillex 2/438

FOREIGN PATENT DOCUMENTS

1489708 5/1969 Fed. Rep. of Germany 128/793
529793 12/1921 France 128/1 C
2224121 10/1974 France 2/434
1422959 1/1976 United Kingdom 128/1 C

Primary Examiner—Wallace R. Burke

Assistant Examiner—C. E. Heflin

Attorney, Agent, or Firm—Romney Golant Martin Seldon & Ashen

[57] CLAIM

The ornamental design for a headset for use in applying electrical signals to the temples, as shown and described herein.

DESCRIPTION

FIG. 1 is a top, right and rear perspective view of the headset for use in applying electrical signals to the temples, showing my new design with a headband and electrical wire being shown in broken lines for illustrative purposes only;

FIG. 2 is a bottom, left and front perspective view thereof;

FIG. 3 is a top plan view thereof shown on a reduced scale;

FIG. 4 is a left side elevational view thereof shown on a reduced scale;

FIG. 5 is a bottom plan view thereof shown on a reduced scale;

FIG. 6 is a front elevational view thereof shown on a reduced scale;

FIG. 7 is a rear elevational view thereof shown on a reduced scale;

FIG. 8 is a right side elevational view thereof shown on a reduced scale;

FIG. 9 is a cross-sectional view thereof taken along line 9—9 of FIG. 3;

FIG. 10 is a cross-sectional view thereof taken along line 10—10 of FIG. 3;

FIG. 11 is a top, right and rear perspective view of the headset for use in applying electrical signals to the temples, showing a second embodiment of my new design; FIG. 12 is a bottom, left and front perspective view thereof;

FIG. 13 is a top, right and rear perspective view of the headset for use in applying electrical signals to the temples, showing a third embodiment of my new design;

FIG. 14 is a bottom, left and front perspective view thereof.




FIG. 1.




FIG. 2.




FIG. 3.




FIG. 6.




FIG. 9.



FIG. 10.




FIG. 4.





FIG. 7.

FIG. 5.





FIG. 8.




FIG. 11.




FIG. 12.




FIG. 13.




FIG. 14.