

[54] **TRUSS SPACER OR SIMILAR ARTICLE**

[76] **Inventor: Leo J. Krueger, 1045 Alpine Ct., Oshkosh, Wis. 54901**

[**] **Term: 14 Years**

[21] **Appl. No.: 806,373**

[22] **Filed: Dec. 9, 1985**

[52] **U.S. Cl. D8/373; 52/696**

[58] **Field of Search D24/17 R, 29 S; 52/696, 52/643, 714; D8/349, 373**

[56] **References Cited**

U.S. PATENT DOCUMENTS

616,180	12/1898	Binder	52/696
840,111	1/1907	Collins	52/696
885,439	4/1908	Collins	52/696
955,111	4/1910	White	52/696
1,285,768	11/1918	Megenity	52/714
1,366,470	1/1921	Lampert	52/714
1,455,712	5/1923	Collins	52/696

1,915,697	6/1933	Robinson	52/696
4,241,557	12/1980	Jensen	52/696
4,439,973	4/1984	Nassof	52/714

Primary Examiner—Wallace R. Burke
Assistant Examiner—Horace B. Fay, Jr.
Attorney, Agent, or Firm—James E. Nilles; Nicholas A. Kees

[57] **CLAIM**

The ornamental design for a truss spacer or similar article, as shown and described.

DESCRIPTION

FIG. 1 is a frontal isometric view of a truss spacer or similar article showing my new design.

FIG. 2 is a front view thereof.


FIG. 3 is a right side view thereof, the left side view being a mirror image.

FIG. 4 is a back view thereof.

FIG. 5 is a bottom view thereof.

FIG. 6 is a top view thereof.

FIG. 7 is a rear isometric view thereof.






FIG. 1



FIG. 6




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7