

[54] FLASHLIGHT

[75] Inventor: Udo M. Geissler, Munich, Fed. Rep. of Germany

[73] Assignee: OSRAM Gesellschaft mit beschränkter Haftung, Munich, Fed. Rep. of Germany

[**] Term: 14 Years

[21] Appl. No.: 710,142

[22] Filed: Mar. 11, 1985

[30] Foreign Application Priority Data

Sep. 13, 1984 [DE] Fed. Rep. of Germany ... MR 14 031

[52] U.S. CL. D26/49; D26/40

[58] Field of Search D26/37-50;
362/157, 158, 183-191, 194-205

[56] References Cited

U.S. PATENT DOCUMENTS

Re. 15,022 1/1921 Burgess 362/187

D. 183,698 10/1958 Lewis D26/49

D. 238,604 1/1976 Brindley D26/49

1,404,362 1/1922 Goodfellow 362/196
2,166,682 7/1939 Graubner 362/157

Primary Examiner—Susan J. Lucas

Attorney, Agent, or Firm—Frishauf, Holtz, Goodman & Woodward

[57] CLAIM

The ornamental design for a flashlight, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a flashlight showing my new design;

FIG. 2 is a front perspective view thereof with the head of the flashlight extended to show a second interior lens;

FIG. 3 is a front elevational view thereof in a collapsed condition as in FIG. 1;



FIG. 4 is a bottom plan view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a side elevational view thereof, the opposite side being a mirror image;

FIG. 7 is a rear elevational view thereof.

The ribbed interior lens shown in FIG. 2 is cylindrical and the ribs continue around its circumference.






Fig. 1




Fig. 2




Fig. 4

Fig. 3




Fig. 6




Fig. 7





Fig. 5