

[54] BOOT FOR SECURING A MOTORCYCLE TIRE AGAINST ROTATION

4,033,160 7/1977 Mima 70/227 X
4,441,586 4/1984 Bernier 70/225 X

[76] Inventor: M. Eugene Owen, 2913 E. Mitchell St., Arlington, Tex. 76010

Primary Examiner—Wallace R. Burke
Assistant Examiner—Brian N. Vinson
Attorney, Agent, or Firm—Charles W. McHugh

[**] Term: 14 Years

[57] CLAIM

[21] Appl. No.: 871,600

The ornamental design for a boot for securing a motorcycle tire against rotation, as shown and described.

[22] Filed: Jun. 6, 1986

[52] U.S. Cl. D8/333

DESCRIPTION

[58] Field of Search D8/330-331,
D8/336, 338, 72-74; D7/98, 105; 70/14, 16,
225-228, 233-234, 237, 259-260

FIG. 1 is a bottom left rear perspective view of a boot for securing a motorcycle tire against rotation showing my new design;

FIG. 2 is a bottom right rear perspective view thereof.

FIG. 3 is a top plan view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a right side elevational view thereof, the side opposite being a mirror image.


FIG. 6 is a bottom plan view thereof; and

FIG. 7 is a rear elevational view thereof.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 59,580	11/1921	Copeland	D8/333
D. 60,204	1/1922	Waterman	D8/333
3,868,837	3/1975	Quimby	70/259
3,966,033	6/1976	Doo	70/58 X






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7