

[54] AUTOMOBILE TIRE

[75] Inventors: Toshio Hayakawa; Yutaka Yamaguchi, both of Tokyo, Japan

[73] Assignee: Bridgestone Corporation, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 736,891

[22] Filed: May 21, 1985

[30] Foreign Application Priority Data

Nov. 21, 1984 [JP] Japan 59-47624

[52] U.S. Cl. D12/146; D12/140

[58] Field of Search D12/141-143, D12/145-151; 152/209 R, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 280,090 8/1985 Graas D12/146
- D. 284,562 7/1986 Kojima et al. D12/147

OTHER PUBLICATIONS

1984 Tread Design Guide, p. 34, Firestone HPR Radial Tire, second tire in from top left side of page.

1984 Tread Design Guide, p. 55, Pirelli P6 Tire, second row up from bottom, right side of page.

1984 Tread Design Guide, p. 77, Yokohama AX320 Tire, bottom left side of page.

1984 Tread Design Guide, P. 230, Ram Implement Industrial Sawtooth IRT Tire, top left side of page.

Primary Examiner—James M. Gandy

Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak & Seas

[57] CLAIM

The ornamental design for an automobile tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an automobile tire showing our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire, the opposite side being substantially the same as that shown;

FIG. 2 is an end elevational view thereof; and FIG. 3 is a side elevational view thereof.




FIG. 1




FIG. 2




FIG. 3

