

[54] CAMERA
[75] Inventors: Noboru Tanaka, Kawasaki; Nobuhiro Ago; Shuichi Tamura, both of Yokohama, all of Japan

[73] Assignee: Canon Kabushiki Kaisha, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 754,441

[22] Filed: Jul. 12, 1985

[30] Foreign Application Priority Data
Jan. 16, 1985 [JP] Japan 60-912

[52] U.S. Cl. D16/5; D16/1; D16/6

[58] Field of Search D16/1-10; 354/81-82, 126, 127.1, 127.4, 149.11, 202-203, 288, 187

[56] References Cited

U.S. PATENT DOCUMENTS

D. 224,350 7/1972 Fukuda D16/5
D. 263,056 2/1982 Hattori D16/5
3,680,455 8/1972 Meinunger 354/187

3,938,170 2/1976 Winkler 354/288
4,171,894 10/1979 Yamada 354/187
4,556,304 12/1985 Fukuda 354/288

OTHER PUBLICATIONS

Modern Photography—10/84—p. 77—Cameras at right.
35 mm. Photography—11/84—p. 17—Camera.

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] CLAIM

The ornamental design for a camera, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a camera showing our new design with the lens barrier open;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a top and left front perspective view thereof;
FIG. 8 is a left front perspective view thereof, with the lens barrier in the closed position.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

