

[54] FACSIMILE MACHINE

[75] Inventor: Yoshihisa Ooie, Osaka, Japan

[73] Assignee: Sharp Corporation, Osaka, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 750,410

[22] Filed: Jun. 28, 1985

[30] Foreign Application Priority Data

Jan. 10, 1985 [JP] Japan ..... 60-601

[52] U.S. Cl. .... D14/94; D16/31

[58] Field of Search ..... D14/94, 99; D16/27, D16/30, 31, 32; 358/256, 285, 286

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 268,582 4/1983 Kikuchi ..... D14/94
- D. 281,256 11/1985 Yamamoto ..... D16/31 X
- D. 282,365 1/1986 Hayashida ..... D16/31 X
- D. 288,444 2/1987 Takeuchi et al. .... D16/31 X

D. 289,048 3/1987 Kojima ..... D14/94



Primary Examiner—Bernard Ansher  
Assistant Examiner—Theodore M. Shooman  
Attorney, Agent, or Firm—Flehr, Hohbach, Test, Albritton & Herbert


[57] CLAIM

The ornamental design for a facsimile machine, as shown and described.


DESCRIPTION

FIG. 1 is a top plan view of the facsimile machine showing my new design;  
FIG. 2 is a top plan view thereof with the cover of the operating part open;  
FIG. 3 is a bottom plan view thereof;  
FIG. 4 is a front elevational view thereof;  
FIG. 5 is a rear elevational view thereof;  
FIG. 6 is a right side elevational view thereof;  
FIG. 7 is a left side elevational view thereof; and  
FIG. 8 is a sectional view thereof taken along the line 8—8 of FIG. 1.







FIG\_1




FIG\_8




FIG\_2




FIG\_4




FIG\_3



FIG\_5



*FIG\_6*



*FIG\_7*