

[54] WEATHERPROOF ROOF SEAL
[76] Inventor: Greg Sherlock, 8676 Yukon St., Suite
F104, Arvada, Colo. 80005
[**] Term: 14 Years
[21] Appl. No.: 698,839
[22] Filed: Feb. 6, 1985

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 491,721, May 5, 1983,
abandoned.
[52] U.S. Cl. D25/158; D25/23;
D25/31
[58] Field of Search D27/153, 154; D25/23,
D25/31, 60, 61, 95, 98, 56, 17; 52/473, 58, 198,
199, 218, 219

References Cited

U.S. PATENT DOCUMENTS

291,919 1/1884 Matthews D23/154 X

1,511,884 10/1924 Heppes 52/58 X
1,883,508 10/1932 Bonday 52/58
3,977,137 8/1976 Patry 52/199
4,010,578 3/1977 Logsdon 52/58
4,023,583 5/1977 Buzzella et al. 52/473 X


Primary Examiner—A. Hugo Word
Attorney, Agent, or Firm—James E. Pittenger


[57] CLAIM

The ornamental design for a weatherproof roof seal, as shown and described.


DESCRIPTION

FIG. 1 is a top perspective view of a weatherproof roof seal according to the present invention;
FIG. 2 is a bottom perspective view showing the under-side of the flange having concentric corrugations;
FIG. 3 is a top plan view;
FIG. 4 is a side elevation view with the opposite side a mirror image; and
FIG. 5 is a bottom view showing the location of the corrugations.





Fig_ 1



Fig_ 2




Fig. 3




Fig. 4




Fig. 5