# United States Patent [19]

# Schepis et al.

[11] Patent Number: Des. 294,203

[45] Date of Patent: \*\* Feb. 16, 1988

[54]	CHILD CARRIER WITH GRAB BAR AND
	FOOTWELLS FOR BICYCLE

[75] Inventors: Joseph P. Schepis, Mundelein; John

Faulhaber, Lindenhurst, both of Ill.

[73] Assignee: All American Products, Inc., Gurnee,

III.

[\*\*] Term: 14 Years
[21] Appl. No.: 814,465

[22] Filed: Dec. 30, 1985

[52] U.S. Cl. D6/354; D12/114; Field of Search D6/354; D12/114;

280/202

### [56] References Cited

## U.S. PATENT DOCUMENTS

D. 229.370	11/1973	Berger et al D6/354
D. 229,922	1/1974	Bishaf et al D12/119
		Hafner et al D6/356
		Rich 297/243
3,747,955	7/1973	MacAlpine 280/204
3,802,598	4/1974	Berger et al 280/202
4.053,091	10/1977	Martelet 224/32 A
		Svensson et al

### OTHER PUBLICATIONS

1981 Sears Summer catalogue, p. 697, Child Carriers 1 & 2, top left side of page.

American Bicyclist & Motorcyclist, 1/80, Troxel Child Carrier.

American Bicyclist & Motorcyclist, 3/84, p. 80, All American Products Child Carrier, center left side of page.

American Bicyclist & Motorcyclist, 8/84, p. 60, Formo-

san I Shin Enterprise Baby Carrier, bottom left side of page.

Primary Examiner—James M. Gandy Attorney, Agent, or Firm—Neuman, Williams, Anderson & Olson

### [57]

### CLAIM

The ornamental design for a child carrier with grab bar and footwells for bicycle, as shown and described.

### DESCRIPTION

FIG. 1 is a front perspective view of the child carrier with grab bar and footwells for bicycle showing our new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a side elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a front elevational view thereof;

FIG. 6 is a bottom plan view thereof;


FIG. 7 is a side elevational view of a child carrier with grab bar and footwells for bicycle showing a second embodiment of our new design, the sole difference residing in the apertures in the sides thereof;


FIG. 8 is a side elevational view of a child carrier with grab bar and footwells for bicycle showing a third embodiment of our new design, the sole difference being in the configuration of the footwells thereof; and

FIG. 9 is a front elevational view of FIG. 8.

The broken lines of FIG. 1 are for illustrative purposes only and form no part of the claimed design.

The characteristic feature of our new design resides in the outwardly projecting footwells as seen in all views except FIG. 2 of the drawing.








FIG. 2




FIG. 4




FIG. 5






FIG. 6








FIG. 9