

[54] OCCUPANCY SENSOR

[75] Inventors: Maclyn C. Cameron, Jr.; Charles C. Hu, both of San Jose; Jerome M. Mix, Redwood City, all of Calif.

[73] Assignee: The Watt Watcher, Inc., Santa Clara, Calif.

[\*\*] Term: 14 Years

[21] Appl. No.: 874,728

[22] Filed: Jun. 16, 1986

[52] U.S. Cl. .... D10/106

[58] Field of Search ..... D10/104, 106, 121; 340/567, 600, 693, 565; 250/339, 341; 307/116, 117; 340/555, 556

[56] References Cited

U.S. PATENT DOCUMENTS

D. 234,140	1/1975	Gregg	.....	D10/106
D. 236,817	9/1975	Sweany	.....	D10/116 X
D. 258,577	3/1981	Bottner	.....	D10/106
D. 269,072	5/1983	Sweet et al.	.....	D10/106


Primary Examiner—Catherine E. Kemper  
Attorney, Agent, or Firm—Townsend & Townsend

[57] CLAIM

The ornamental design for an occupancy sensor, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an occupancy sensor, showing our new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a front elevational view thereof;  
FIG. 4 is a right side elevational view thereof;  
FIG. 5 is a left side elevational view thereof;  
FIG. 6 is a rear elevational view thereof;  
FIG. 7 is a bottom plan view thereof;  
FIG. 8 is a perspective view of a second embodiment of an occupancy sensor;  
FIG. 9 is a top plan view thereof;  
FIG. 10 is a front elevational view thereof;  
FIG. 11 is a right side elevational view thereof;  
FIG. 12 is a left side elevational view thereof;  
FIG. 13 is a rear elevational view thereof;  
FIG. 14 is a bottom plan view thereof.






FIG. 2.




FIG. 3.




FIG. 6.




FIG. 7.




FIG. 1.




FIG. 4.




FIG. 5.




FIG. 8.




FIG. 9.




FIG. 10.




FIG. 11.




FIG. 13.




FIG. 12.




FIG. 14.