

[54] MANUALLY OPERATED ALARM

[76] Inventor: Vilas D. Hershberger, R.R. 1,  
Heston, Kans. 67062

[\*\*] Term: 14 Years

[21] Appl. No.: 873,339

[22] Filed: Jun. 12, 1986

[52] U.S. Cl. .... D10/106; D10/116

[58] Field of Search ..... 180/272; 340/573, 575,  
340/576; D10/104, 106, 116, 121

[56] References Cited

U.S. PATENT DOCUMENTS

D. 264,194	5/1982	Jaretsky	.....	D10/106
D. 264,564	5/1982	Jaretsky	.....	D10/106
4,219,800	8/1980	LeViness	.....	340/576 X
4,485,375	11/1984	Hershberger	.....	340/576

4,540,979	9/1985	Gerger et al.	.....	340/576
4,617,559	10/1986	Slansky	.....	340/576


Primary Examiner—Catherine E. Kemper  
Attorney, Agent, or Firm—Kokjer, Kircher, Bradley,  
Wharton, Bowman & Johnson


[57] CLAIM

The ornamental design for a manually operated alarm,  
as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of a manually operated  
alarm showing my new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is an end elevational view thereof, the end oppo-  
site being substantially a mirror image of the end shown;  
FIG. 4 is a front elevational view thereof;  
FIG. 5 is a rear elevational view thereof; and  
FIG. 6 is a bottom plan view thereof.







*Fig. 1.*




*Fig. 2.*




*Fig. 3.*



*Fig. 4.*



*Fig. 5.*



*Fig. 6.*