

[54] **MANUALLY OPERATED ALARM**

[76] **Inventor:** Vilas D. Hershberger, R.R. 1,
Heston, Kans. 67062

[**] **Term:** 14 Years

[21] **Appl. No.:** 873,339

[22] **Filed:** Jun. 12, 1986

[52] **U.S. Cl.** D10/106; D10/116

[58] **Field of Search** 180/272; 340/573, 575,
340/576; D10/104, 106, 116, 121

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 264,194	5/1982	Jaretsky	D10/106
D. 264,564	5/1982	Jaretsky	D10/106
4,219,800	8/1980	LeViness	340/576 X
4,485,375	11/1984	Hershberger	340/576

4,540,979	9/1985	Gerger et al.	340/576
4,617,559	10/1986	Slansky	340/576


Primary Examiner—Catherine E. Kemper
Attorney, Agent, or Firm—Kokjer, Kircher, Bradley,
Wharton, Bowman & Johnson

[57] **CLAIM**

The ornamental design for a manually operated alarm,
as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a manually operated alarm showing my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is an end elevational view thereof, the end opposite being substantially a mirror image of the end shown;
FIG. 4 is a front elevational view thereof;
FIG. 5 is a rear elevational view thereof; and
FIG. 6 is a bottom plan view thereof.






Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.