# United States Patent [19]

## Patrick, III

[11] Patent Number: Des. 294,246

[45] Date of Patent: \*\* Feb. 16, 1988

# [54] ILLUMINATED ATTACHMENT FOR A MOTOR VEHICLE SPARE TIRE COVER

[76] Inventor: Clifford Patrick, III, 1869 Glencreek

Rd., Columbus, Ohio 43223

[\*\*] Term: 14 Years

[21] Appl. No.: 713,169

[22] Filed: Mar. 18, 1985

[58] Field of Search ....... D12/202, 190; 224/42.2, 224/42.12; 296/37.3; 362/61, 78; 40/587, 204

## [56] References Cited

### U.S. PATENT DOCUMENTS

1,366,240	1/1921	Brennan D	12/202
1,705,422	3/1929	Seward et al	40/587
1,724,281	8/1929	Hathorn	40/587
3,921,324	11/1975	Flannery	40/204
4,381,537	4/1983	Hinrichs	362/78

#### OTHER PUBLICATIONS

J. C. Whitney Catalog No. 392B, ©1979, p. 43, Illuminated Tire Covers, top left side of page.

Primary Examiner—James M. Gandy Attorney, Agent, or Firm—Biebel, French & Nauman

### [57] CLAIM

The ornamental design for an illuminated attachment for a motor vehicle spare tire cover, as shown and described.

#### **DESCRIPTION**

FIG. 1 is a front elevation view of an illuminated attachment for a motor vehicle spare tire cover showing my new design it being understood that the broken lines are for illustrative purposes only and form no part of the claimed design;

FIG. 2 is an enlarged top, front perspective view thereof;

FIG. 3 is an enlarged rear elevation view thereof;


FIG. 4 is an enlarged side elevation view thereof;


FIG. 5 is an enlarged top plan view thereof taken;


FIG. 6 is a front elevation view of an illuminated attachment for a motor vehicle spare tire cover showing a second embodiment of my new design wherein the sole difference resides in the downward arcuate extension of the lower portion thereof it being understood that the broken lines are for illustrative purposes only; and

FIG. 7 is a front elevation view of FIG. 6 on a reduced scale shown in association with a van which is depicted in broken lines for illustrative purposes only.

The circumferentially spaced circles within the raised tubular bead are understood to represent electrically illuminated bulbs.







U.S. Patent

Feb. 16, 1988

Sheet 2 of 2

D294,246

FIG-3

FIG-4

FIG-5

