United States Patent [19][11]Patent Number:Des. 294,248Richter et al.[45]Date of Patent: ** Feb. 16, 1988

[57]

- [54] TELEPHONE SET
- [76] Inventors: Ludwig Richter, H.v.Stephan Str. 34, Heusenstamm, Fed. Rep. of Germany, 6056; Dieter Kraemer, Im Hain 5, Idstein, Fed. Rep. of Germany, 6270; Helmut Mayer; Hajo von Reyer, both of Höhenweg 22, Bad Nauheim, Fed. Rep. of Germany, 6350; Wolfgang Girscher, Woogstr. 27, Frankfurt a/M, Fed.

D. 286,777	11/1986	Bishop I	D14/53 X
		Cameron 1	
3,073,911	1/1963	Maltke et al.	. 179/100

OTHER PUBLICATIONS

Teleproduct News, Jun. 1985, Summer CES Issue; at p. 51; Stantel's "Electron".

B. A. Pargh Co. Inc: ©1985, Spring, Summer Catalog; at p. 256.

Primary Examiner—Wallace R. Burke Assistant Examiner—Horace B. Fay, Jr. Attorney, Agent, or Firm—Jacobson and Johnson

Rep. of Germany, 6000; Gerhard Sussner, Waldstr. 45, Meerholz, Fed. Rep. of Germany, 6462; Karl-Heinz Niederhoefer, Dalbergstr. 4, Frankfurt a/M, Fed. Rep. of Germany, 6230

[**] Term: 14 Years

- [21] Appl. No.: 890,695
- [22] Filed: Jul. 28, 1986

- [56] **References Cited**

U.S. PATENT DOCUMENTS

D. 189,877	3/1961	Mosing
D. 211,645	7/1968	Perkins
D. 272,441	1/1984	Care D14/53
		Abroms D14/53 X

CLAIM

The ornamental design for a telephone set, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a cradled telephone set, showing our new design; FIG. 2 is a top and right side perspective view thereof, with the handset removed from the stand;

FIG. 3 is a left side and front perspective view of the telephone set in cradled position;

FIG. 4 is a right side and back perspective view thereof; and,

FIG. 5 is a view similar to FIG. 1 with raised index access flap.

The solid black coloration shown in the figures is intentional to represent actual, effectual contrast coloring of the surfaces so treated in accordance with established office standards.





U.S. Patent Feb. 16, 1988 Sheet 1 of 3 D294,248

.



FIG.2

-



FIG.I

٠

U.S. Patent Feb. 16, 1988 Sheet 2 of 3 D294,248

· · · ·

· · ·



FIG. 5

4

٠

-

•



-

•

FIG. 3

U.S. Patent Feb. 16, 1988 Sheet 3 of 3 D294,248





FIG.4

.

٠