

United States Patent [19]
Thies et al.

[11] **Patent Number:** Des. 294,262
[45] **Date of Patent:** ** Feb. 16, 1988

[54] PORTABLE PLASMA DISPLAY MONITOR

[75] Inventors: John E. Thies, Lyons; Walter E. Zimmerman, II, Fleetwood, both of Pa.
[73] Assignees: American Telephone and Telegraph Company, AT&T Bell Laboratories, Murray Hill; AT&T Technologies, Inc., Berkeley, both of N.J.

[**] Term: 14 Years

[21] Appl. No.: 805,236

[22] Filed: Nov. 15, 1985

[52] U.S. Cl. D14/113
[58] Field of Search D14/100, 101, 102, 103,
D14/104, 105, 106, 107, 113, 77, 80-84;
312/7.2; 340/700, 720; 358/248, 249, 254, 903

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 274,728 7/1984 Shibata D14/113
D. 275,102 8/1984 MacConnell D14/106
D. 275,103 8/1984 Landry D14/114
D. 277,580 2/1985 Wiseman D14/114
D. 278,149 3/1985 Naito D14/113
D. 279,010 5/1985 Ceradelli et al. D14/113
D. 288,321 2/1987 Ohtsu D14/80 X
4,438,458 3/1984 Munscher 340/700 X

FOREIGN PATENT DOCUMENTS

3202046 7/1983 Fed. Rep. of Germany 358/254

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Wendy W. Koba

[57] **CLAIM**

The ornamental design for a portable plasma display monitor, substantially as shown and described.

DESCRIPTION

FIG. 1 is a top, front perspective view of the portable plasma display monitor showing our new design, the monitor being in closed position.

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a side elevation view thereof, the opposite side being a mirror image;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a top, front perspective view of the monitor in the open position;


FIG. 8 is a front elevational view thereof;

FIG. 9 is a rear elevational view thereof;

FIG. 10 is a side elevational view thereof, the opposite side being a mirror image;

FIG. 11 is a top plan view thereof; and

FIG. 12 is a bottom plan view thereof.



U.S. Patent

Feb. 16, 1988

Sheet 1 of 8

D294,262

FIG. 1




FIG. 2





FIG. 3



U.S. Patent

Feb. 16, 1988

Sheet 2 of 8

D294,262

FIG. 4





FIG. 5




U.S. Patent

Feb. 16, 1988

Sheet 3 of 8

D294,262

FIG. 6




U.S. Patent

Feb. 16, 1988

Sheet 4 of 8

D294,262

FIG. 7




U.S. Patent

Feb. 16, 1988

Sheet 5 of 8

D294,262

FIG. 8




U.S. Patent Feb. 16, 1988

Sheet 6 of 8

D294,262

FIG. 9




U.S. Patent

Feb. 16, 1988

Sheet 7 of 8

D294,262

FIG. 10



U.S. Patent Feb. 16, 1988

Sheet 8 of 8

D294,262

FIG. 11




FIG. 12

