

[54] TELEPHONE SET

[76] Inventors: Ludwig Richter, H.v. Stephan Str., 34 Heusenstamm, Fed. Rep. of Germany, 6056; Dieter Kraemer, Im Hain 5, Idstein, Fed. Rep. of Germany, 6270; Helmut Mayer, Höhenweg 32; Hajo von Reyer, Höhenweg 22, both of Bad Nauheim, Fed. Rep. of Germany, 6350; Wolfgang Girscher, Woogstr. 27, Frankfurt a/M, Fed. Rep. of Germany, 6000; Gerhard Sussner, Waldstr. 45, Meerholz, Fed. Rep. of Germany, 6462; Karl-Heinz Niederhoefer, Dalbergstr. 4, Frankfurt a/M, Fed. Rep. of Germany, 6230

D. 272,441	1/1984	Carie	D14/53
D. 284,470	7/1986	Abroms	D14/53 X
D. 286,777	11/1986	Bishop	D14/53 X
D. 286,875	11/1986	Cameron	D14/62 X
3,073,911	1/1963	Maltke et al.	179/100

OTHER PUBLICATIONS

Tele-Product News, Jun. 1985, Summer CES Issue; at p. 51; Stantel's "Electron".
B. A. Pargh, Co. Inc.; ©1985 Spring, Summer catalog; p. 256.

Primary Examiner—Wallace R. Burke
Assistant Examiner—Horace B. Fay, Jr.
Attorney, Agent, or Firm—Jacobson and Johnson

[57] CLAIM

The ornamental design for a telephone set, as shown and described.

DESCRIPTION

FIG. 1 is a front, top keyboard panel and right side perspective view of a cradled telephone set, showing our new design;

FIG. 2 is a top panel, right side perspective view thereof;

FIG. 3 is a right side and back perspective view thereof; and,

FIG. 4 is a view similar to that of FIG. 1 with the top keyboard panel slid back to show a keyboard under the top panel.

The solid black coloration shown in the figures is intentional to represent effectual contrast coloring of the surfaces in accordance with established office standards.

[**] Term: 14 Years

[21] Appl. No.: 890,697

[22] Filed: Jul. 28, 1986


[52] U.S. Cl. D14/59; D14/62; D14/57; D14/53; D14/58

[58] Field of Search D14/53, 59, 60, 58, D14/62; 379/436, 432, 434, 429, 433, 440; D21/111

[56] References Cited

U.S. PATENT DOCUMENTS

D. 189,877	3/1961	Mosing	D14/53
D. 211,645	7/1968	Perkins	D14/53






FIG. 1




FIG. 4




FIG. 2




FIG. 3