

[54] SLEEPINESS ALARM

[76] Inventor: Yin-Tsai Chao, 1F, No. 10, Alley 9, Lane 197, Sec. 2, Pa-Teh Rd., Panchiao City, Taipei Hsien, Taiwan

[**] Term: 14 Years

[21] Appl. No.: 755,311

[22] Filed: Jul. 15, 1985

[52] U.S. Cl. D10/106; D24/35; D10/116

[58] Field of Search 180/272; 340/573, 575, 340/576; D10/104, 106, 116, 121; D24/35

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 251,234 3/1979 Hakansson et al. D24/35 X
- D. 273,706 5/1984 McCall D24/35
- 2,910,679 10/1959 Baldwin 340/575
- 3,045,225 7/1962 Baldwin 340/575
- 4,272,764 6/1981 Herr et al. 340/576 X

4,354,179 10/1982 Fourcade 340/575

FOREIGN PATENT DOCUMENTS

1297003 6/1969 Fed. Rep. of Germany 340/575


Primary Examiner—Catherine E. Kemper
Attorney, Agent, or Firm—Lowe, Price, LeBlanc,
Becker & Shur

[57] CLAIM

The ornamental design for a sleepiness alarm, substantially as shown.

DESCRIPTION

FIG. 1 is a perspective view of a sleepiness alarm showing my design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right-side elevational view thereof;
FIG. 5 is a left-side elevational view thereof;
FIG. 6 is a top plan view thereof; and
FIG. 7 is a bottom plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7