

[54] RECONFIGURABLE TOY VEHICLE

[75] Inventor: Kaoru Matsumoto, Tokyo, Japan

[73] Assignee: Takara Co., Ltd., Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 804,798

[22] Filed: Nov. 12, 1985

[30] Foreign Application Priority Data

Jul. 31, 1985 [JP] Japan 60-32693

[52] U.S. Cl. D21/136; D21/150; D21/166

[58] Field of Search D21/150, 128, 136, 137, D21/138-140, 166; D12/86, 96; 446/71, 72, 73, 74, 77, 78, 94, 97, 383, 381, 487

[56] References Cited

U.S. PATENT DOCUMENTS

D. 283,717	5/1986	Obara	D21/150
D. 284,491	7/1986	Ohno	D21/150
D. 286,169	10/1986	Ohno	D21/150
D. 289,665	5/1987	Nagano	D21/150

OTHER PUBLICATIONS

Road & Track, 4-1972, p. 30, "Bradley GT."

Primary Examiner—Charles A. Rademaker
Attorney, Agent, or Firm—Price, Gess & Ubell

[57] CLAIM

The ornamental design for a reconfigurable toy vehicle, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front side perspective view of a reconfigurable toy vehicle showing my new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a side elevational view thereof, the side opposite being substantially a mirror image;
 FIG. 4 is a rear elevational view thereof;
 FIG. 5 is a top plan view thereof;
 FIG. 6 is a bottom plan view thereof;
 FIG. 7 is a front side perspective view of the design shown in FIGS. 1 through 6 reconfigured into a robotic humanoid configuration;
 FIG. 8 is a front elevational view thereof;
 FIG. 9 is a side elevational view thereof, the side opposite being substantially a mirror image;
 FIG. 10 is a rear elevational view thereof;
 FIG. 11 is a top plan view thereof; and
 FIG. 12 is a bottom plan view thereof.





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG.10




FIG.11




FIG.12

