

[54] **COMBINED RADIO, SPOTLIGHT,
EMERGENCY BLINKING LIGHT AND
SOFTLIGHT**

[75] **Inventor: John S. Yuen, Kowloon, Hong Kong**

[73] **Assignee: John Manufacturing Limited,
Kowloon, Hong Kong**

[**] **Term: 14 Years**

[21] **Appl. No.: 738,370**

[22] **Filed: May 28, 1985**

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 279,820, Jul. 23, 1985.

Foreign Application Priority Data

Dec. 4, 1984 [GB] United Kingdom 1023690
[52] **U.S. Cl.** D14/70; D14/68;
D14/72; D26/38; D26/42
[58] **Field of Search** D14/1, 5, 7, 36, 68-76,
D14/95, 99; 455/73, 89, 90, 344, 347, 350, 351;
D26/38, 42

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 233,854 12/1974 Yue D26/38 X
D. 279,820 7/1985 Yuen D26/42
D. 280,442 9/1985 Ohashi D26/38
D. 285,727 9/1986 Yuen D26/42
4,268,894 5/1981 Bartunek et al. D26/42 X

OTHER PUBLICATIONS

Hong Kong Enterprise, 4/84, p. 214, Emergency Fluorescent Lamp & Spotlight with Blinking Light.

Primary Examiner—Bernard Ansher

Assistant Examiner—Theodore M. Shooman

Attorney, Agent, or Firm—Fay, Sharpe, Beall, Fagan,
Minnich & McKee

[57] **CLAIM**

The ornamental design for a combined radio, spotlight, emergency blinking light and softlight, as shown and described.

DESCRIPTION

FIG. 1 is a left side elevational view of a combined radio, spotlight, emergency blinking light and softlight showing my new design;
FIG. 2 is a right side elevational view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

