

[54] AUTOMOBILE TIRE

[75] Inventor: Akihiro Nakatani, Hyogo, Japan

[73] Assignee: Sumitomo Rubber Industries, Ltd., Hyogo, Japan

[**] Term: 14 Years

[21] Appl. No.: 844,287

[22] Filed: Mar. 11, 1986

[30] Foreign Application Priority Data

Dec. 3, 1985 [JP] Japan 60-50580

[52] U.S. Cl. D12/147

[58] Field of Search D12/141-143, D12/146-151; 152/209 R, 209 B, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 238,768 2/1976 Dubos D12/146
- D. 245,327 8/1977 Bennett D12/146
- D. 247,666 4/1978 Dartois D12/146

- D. 270,343 8/1983 Caretta D12/143
- D. 277,468 2/1985 Nagayasu D12/147

OTHER PUBLICATIONS

1985 Tread Design Guide, p. 97, Aurora F16 tire, second tire in from top right side of page.

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Birch, Stewart, Kolasch & Birch

[57] CLAIM

The ornamental design for an automobile tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an automobile tire showing my new design, it being understood that the tread pattern is repeated uniformly throughout the circumference of the tire and the opposite side is the same as that shown;

FIG. 2 is a front elevational view thereof; and
FIG. 3 is a side elevational view thereof.




FIG. 1




FIG. 2




FIG. 3

