

[54] TRANSMITTER USED FOR ALARM  
DISPLAY PROCESSOR

[75] Inventors: Nobuhiro Umehara, Tokyo; Yukio  
Igarashi, Kamakura, both of Japan

[73] Assignee: Kabushiki Kaisha Toshiba, Kawasaki,  
Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 688,762

[22] Filed: Jan. 4, 1985

[52] U.S. Cl. .... D14/95; D10/104;  
D10/106

[58] Field of Search ..... D10/104, 106; D14/95;  
340/539, 546, 311; 455/347, 353, 351

[56] References Cited

U.S. PATENT DOCUMENTS

|            |         |                    |           |
|------------|---------|--------------------|-----------|
| D. 246,034 | 10/1977 | Sparks et al. .... | D10/106   |
| D. 264,194 | 5/1982  | Jaretsky .....     | D10/106   |
| D. 265,299 | 7/1982  | Jaretsky .....     | D10/106   |
| D. 272,993 | 3/1984  | Chan .....         | D10/106   |
| D. 273,573 | 4/1984  | Aulicino .....     | D10/106   |
| D. 273,786 | 5/1984  | Owerko .....       | D10/106 X |

OTHER PUBLICATIONS

Japanese Design Registration No. 552856, registered  
Feb. 19, 1981, published May 8, 1981.

DT-4A transmitter in the catalog of Colorado Elec-  
tro-Optics, Inc published Sep., 1982.

Primary Examiner—Catherine E. Kemper

Attorney, Agent, or Firm—Finnegan, Henderson,  
Farabow, Garrett & Dunner

[57] CLAIM

The ornamental design for a transmitter used for alarm  
display processor, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of  
a transmitter used for alarm display processor showing  
our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a left side elevational view thereof; and

FIG. 7 is a bottom plan view thereof.






FIG. 1




FIG. 2




FIG. 3






FIG. 4




FIG. 5




FIG. 6




FIG. 7

