

United States Patent [19]

Baus et al.

[11] **Patent Number: Des. 295,032**

[45] **Date of Patent: ** Apr. 5, 1988**

[54] **TIRE TREAD AND BUTTRESS**

[75] **Inventors: Andre' E. J. Baus, Bettembourg; Jean L. F. Fontaine, Burden; Maurice Graas, Luxembourg, all of Luxembourg**

[73] **Assignee: The Goodyear Tire & Rubber Company, Akron, Ohio**

[**] **Term: 14 Years**

[21] **Appl. No.: 706,359**

[22] **Filed: Feb. 27, 1985**

[30] **Foreign Application Priority Data**

Aug. 28, 1984 [XB] Benelux 30448-01
[52] **U.S. Cl. D12/146**
[58] **Field of Search D12/141-143, D12/146-151; 152/209 R, 209 D**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 275,384	9/1984	Fontaine et al.	D12/146
D. 275,473	9/1984	Baus et al.	D12/146
D. 278,423	4/1985	Baus	D12/147
4,574,856	3/1986	Graas	D12/142

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—L. R. Drayer

[57] **CLAIM**

The ornamental design for a tire tread and buttress, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of a tire tread and buttress showing our new design, it being understood that the tread pattern is repeated throughout the circumference thereof, and the buttress on the opposite side is substantially the same as that shown;

FIG. 2 is a front elevational view thereof; and

FIG. 3 is a side elevational view thereof.

The broken lines in the drawings are understood to be for illustrative purposes only.






FIG 1




FIG 2




FIG 3