

# United States Patent [19]

Baus et al.

[11] Patent Number: Des. 295,032

[45] Date of Patent: \*\* Apr. 5, 1988

[54] TIRE TREAD AND BUTTRESS

[75] Inventors: Andre' E. J. Baus, Bettembourg; Jean L. F. Fontaine, Burden; Maurice Graas, Luxembourg, all of Luxembourg

[73] Assignee: The Goodyear Tire & Rubber Company, Akron, Ohio

[\*\*] Term: 14 Years

[21] Appl. No.: 706,359

[22] Filed: Feb. 27, 1985

[30] Foreign Application Priority Data

Aug. 28, 1984 [XB] Benelux ..... 30448-01  
[52] U.S. Cl. .... D12/146  
[58] Field of Search ..... D12/141-143,  
D12/146-151; 152/209 R, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

D. 275,384 9/1984 Fontaine et al. .... D12/146  
D. 275,473 9/1984 Baus et al. .... D12/146  
D. 278,423 4/1985 Baus ..... D12/147  
4,574,856 3/1986 Graas ..... D12/142

Primary Examiner—James M. Gandy  
Attorney, Agent, or Firm—L. R. Drayer

[57] CLAIM

The ornamental design for a tire tread and buttress, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of a tire tread and buttress showing our new design, it being understood that the tread pattern is repeated throughout the circumference thereof, and the buttress on the opposite side is substantially the same as that shown;

FIG. 2 is a front elevational view thereof; and

FIG. 3 is a side elevational view thereof.

The broken lines in the drawings are understood to be for illustrative purposes only.






FIG 1




FIG 2




FIG 3