

[54] BASEBALL SHOE SOLE

[75] Inventor: Keith R. Heyes, Nashville, Tenn.

[73] Assignee: Genesco, Inc., Nashville, Tenn.

[\*\*] Term: 14 Years

[21] Appl. No.: 814,328

[22] Filed: Dec. 30, 1985

[52] U.S. Cl. .... D2/320; D2/311

[58] Field of Search ..... D2/264, 265, 274, 308-314, D2/317-321; 36/1, 103, 106, 113, 114, 132, 126, 59 R, 59 C, 62

[56] References Cited

U.S. PATENT DOCUMENTS

D. 272,772	2/1984	Kohno	.....	D2/320
D. 290,903	7/1987	Inohara	.....	D2/320
D. 292,443	10/1987	Ihlenburg	.....	D2/320
4,667,425	5/1987	Effler et al.	.....	36/126

Primary Examiner—Louis S. Zarfes

Attorney, Agent, or Firm—Harrington A. Lackey

[57] CLAIM

The ornamental design for a baseball shoe sole, as shown and described.

DESCRIPTION

FIG. 1 is an outside elevational view of a baseball shoe sole showing my new design;  
 FIG. 2 is an enlarged front elevational view thereof;  
 FIG. 3 is an enlarged rear elevational view thereof;  
 FIG. 4 is a top plan view thereof;  
 FIG. 5 is an enlarged inside elevational view thereof;  
 FIG. 6 is an enlarged bottom plan view thereof;  
 FIG. 7 is a section taken along the line 7—7 of FIG. 6;  
 FIG. 8 is an inside, fragmentary elevational view of the baseball shoe sole, taken along the line 8—8 of FIG. 6, showing the design of one of the cleats;  
 FIG. 9 is a fragmentary sectional elevational view taken at 90° to FIG. 8 and showing the right end of the cleat in FIG. 8;  
 FIG. 10 is a fragmentary sectional elevational view showing the opposite side of the cleat disclosed in FIG. 8;

FIG. 11 is a fragmentary sectional elevational view taken along the line 11—11 of FIG. 6;  
 FIG. 12 is a fragmentary sectional elevational view taken at 90° to FIG. 11, and showing the left end of the cleat in FIG. 11;  
 FIG. 13 is a fragmentary sectional view taken along the line 13—13 of FIG. 5;  
 FIG. 14 is a fragmentary sectional elevational view taken along the line 14—14 of FIG. 6;  
 FIG. 15 is a fragmentary sectional elevational view taken at 90° to FIG. 14 and showing the inner side of the cleat in FIG. 14;  
 FIG. 16 is a fragmentary sectional elevational view taken at 90° to FIG. 14 and showing the outer side of the cleat in FIG. 14;  
 FIG. 17 is a fragmentary inside elevational view of the baseball shoe sole taken along the line 17—17 of FIG. 6, showing the design of another one of the cleats;  
 FIG. 18 is a fragmentary sectional elevational view taken at 90° to FIG. 17, and showing the right end of the cleat in FIG. 17;  
 FIG. 19 is a fragmentary sectional elevational view showing the opposite side of the cleat disclosed in FIG. 17;  
 FIG. 20 is a fragmentary sectional elevational view taken along the line 20—20 of FIG. 3;  
 FIG. 21 is a fragmentary sectional elevational view taken at 90° to FIG. 20, and showing the interior side of the cleat in FIG. 20;  
 FIG. 22 is a fragmentary sectional elevational view taken along the line 22—22 of FIG. 6;  
 FIG. 23 is a fragmentary sectional elevational view taken at 90° to FIG. 22, and showing the right end of the cleat in FIG. 22;  
 FIG. 24 is a fragmentary sectional elevational view showing the opposite side of the cleat disclosed in FIG. 22;  
 FIG. 25 is a fragmentary sectional elevational view taken along the line 25—25 of FIG. 6; and  
 FIG. 26 is a fragmentary sectional elevational view taken at 90° to FIG. 25, and showing the interior side of the cleat of FIG. 25.

The broken line showing of a baseball shoe upper in FIG. 1 is for illustrative purposes only and forms no part of the claimed design.





