

[54] SPACER

[76] Inventor: **Katsumi Niwa**, 874-2 Nakagiri, Mitake-cho, Kani-gun, Gifu-ken, Japan

[**] Term: **14 Years**

[21] Appl. No.: **696,488**

[22] Filed: **Jan. 30, 1985**

[30] Foreign Application Priority Data

Aug. 17, 1984 [JP] Japan 59-34600

[52] U.S. Cl. **D8/354**; 174/138 D

[58] Field of Search D8/354, 349; D13/99, D13/24; 24/289, 291, 292, 297, 305, 326, 453, 590; 411/508, 509, 510; 174/138 D; 248/73, 221.4, 221.3, 220.2; 361/412, 413

[56] References Cited

U.S. PATENT DOCUMENTS

D. 278,143	3/1985	Hill	D8/354 X
3,029,486	4/1962	Raymond	174/138 D
3,905,270	9/1975	Hehl	411/509
4,137,610	2/1979	Hoen	24/590
4,343,566	8/1982	Giovannetti	403/405.1
4,495,548	1/1985	Matsui	174/138 D X
4,498,827	2/1985	Mair	24/691
4,527,760	7/1985	Salacuse	24/59 X

4,531,870	7/1985	Moryl et al.	24/590
4,629,356	12/1986	Hayashi	411/508 X

FOREIGN PATENT DOCUMENTS

144040	6/1920	United Kingdom	24/59
2125100A	2/1984	United Kingdom	174/138 D
2142377A	1/1985	United Kingdom	403/252


Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Oblon, Fisher, Spivak, McClelland & Maier

[57] CLAIM

The ornamental design for a spacer, substantially as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a spacer showing my new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a bottom plan view thereof;
 FIG. 4 is a right side elevational view thereof; the side opposite being essentially a mirror image;
 FIG. 5 is a cross-sectional view taken along line 5—5 of FIG. 2 thereof;
 FIG. 6 is a cross-sectional view taken along line 6—6 of FIG. 4 thereof;
 FIG. 7 is a perspective view taken from above and to one side of FIG. 2; and
 FIG. 8 is a perspective view taken from below.






FIG. 1




FIG. 2




FIG. 4




FIG. 3




FIG. 5




FIG. 6




FIG. 7




FIG. 8