

- [54] HANGER FOR PANTS, SKIRTS OR THE LIKE
- [75] Inventor: William D. Arnold, St. Louis County, Mo.
- [73] Assignee: Lee-Rowan Company, St. Louis, Mo.
- [**] Term: 14 Years
- [21] Appl. No.: 833,755
- [22] Filed: Feb. 18, 1986
- [52] U.S. Cl. D6/317; D6/319; D6/326
- [58] Field of Search D6/315-319, D6/326, 327, 328, 513; 211/13, 116, 113, 119; 223/85, 87, 88, 91, 92, 93, 95, 96

[56] References Cited

U.S. PATENT DOCUMENTS

| | | | | |
|------------|---------|---------------|-------|--------|
| D. 197,587 | 2/1964 | McLean | | D6/319 |
| D. 215,899 | 11/1969 | Soderberg | | D6/315 |
| D. 276,967 | 1/1985 | Arnold et al. | | D6/327 |
| 1,792,236 | 2/1931 | Olson | | D6/319 |

FOREIGN PATENT DOCUMENTS

| | | | | |
|---------|---------|----------------------|-------|--------|
| 0460070 | 10/1949 | Canada | | 223/88 |
| 2750483 | 5/1979 | Fed. Rep. of Germany | | 223/96 |

OTHER PUBLICATIONS

"Fairy" Garment Hangers for 1936 brochure; hanger No. 888.

Primary Examiner—B. J. Bullock

Attorney, Agent, or Firm—Rogers, Howell, Moore & Haferkamp

[57] CLAIM

The ornamental design for a hanger for pants, skirts or the like, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a hanger for pants, skirts or the like showing my new design, in its unlatched condition;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is an enlarged sectional view taken in the direction of the arrows on line 6—6 of FIG. 1;

FIG. 7 is a fragmentary rear elevational view of the hook taken in the direction of the arrows on line 7—7 of FIG. 6;

FIG. 8 is a sectional view taken in the direction of the arrows on line 8—8 of FIG. 6;


FIG. 9 is an enlarged sectional view taken through the lower garment bar of FIG. 1;


FIG. 10 is a fragmentary front elevational view of a second embodiment of the design of FIG. 1, the only difference being the configuration of the hook area;

FIG. 11 is a fragmentary front elevational view of a third embodiment of the design of FIG. 1, the only difference being in the configuration of the hook area;

FIG. 12 is a fragmentary front elevational view of a fourth embodiment of the design of FIG. 1, the only difference being in the configuration of the hook area;

FIG. 13 is a fragmentary sectional view taken in the direction of the arrows on line 13—13 of FIG. 12.








FIG. 6.




FIG. 7.




FIG. 8.



FIG. 9.




FIG. 10.




FIG. 12.




FIG. 11.



FIG. 13.