

[54] **SET OF HAND SIGNALS**

[76] **Inventor: Earl J. Breault, 4905 San Marque Cir., Carmichael, Calif. 95608**

[**] **Term: 14 Years**

[21] **Appl. No.: 810,269**

[22] **Filed: Dec. 17, 1985**

Related U.S. Application Data

[63] **Continuation-in-part of Ser. No. 500,560, Jun. 2, 1983, abandoned.**

[52] **U.S. Cl. D21/100; D20/33**

[58] **Field of Search 40/124.1, 418, 419, 40/421, 427, 445, 530, 586; D20/33; 446/26; 116/173-175; D21/100; D10/109**

References Cited

U.S. PATENT DOCUMENTS

D. 260,626	9/1981	Kadar	D11/160
D. 277,943	3/1985	Jones	D20/33 X
528,256	10/1894	Morrison	40/586
2,687,006	8/1954	Lyons	40/421 X
2,781,462	2/1957	Wheeler et al.	40/421 X
3,484,974	12/1969	Culmone	40/586
3,969,837	7/1976	Kreese	40/586 X
4,352,461	10/1982	Orta et al.	D20/33 X
4,455,963	6/1984	Matsuo	D21/100 X
4,486,975	12/1984	Harreld et al.	D21/100 X

FOREIGN PATENT DOCUMENTS

489076	5/1970	Switzerland	40/586
--------	--------	-------------	-------	--------


Primary Examiner—Catherine E. Kemper
Attorney, Agent, or Firm—Mark C. Jacobs

[57] **CLAIM**

The ornamental design for set of hand signals, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a member of a set of hand signals, showing my new design;
 FIG. 2 is a left side elevational view thereof;
 FIG. 3 is a top plan view thereof;
 FIG. 4 is a rear elevational view thereof;
 FIG. 5 is a right side elevation view thereof;
 FIG. 6 is a bottom plan view thereof;
 FIG. 7 is a front elevational view of a second member of a set of hand signals;
 FIG. 8 is a left side elevational view;
 FIG. 9 is a top plan view thereof;
 FIG. 10 is a rear elevational view thereof;
 FIG. 11 is a right side elevational view thereof;
 FIG. 12 is a bottom plan view thereof;
 FIG. 13 is a front elevational view of a third member of a set of hand signals;
 FIG. 14 is a left side elevational view thereof;
 FIG. 15 is a top plan view thereof;
 FIG. 16 is a rear elevational view thereof;
 FIG. 17 is a right side elevational view thereof;
 FIG. 18 is a bottom plan view thereof;
 FIG. 19 is a front elevational view of a fourth member of a set of hand signals;
 FIG. 20 is a left side elevational view thereof;
 FIG. 21 is a rear elevational view thereof;
 FIG. 22 is a right side elevational view thereof;
 FIG. 23 is a top plan view thereof;
 FIG. 24 is a top plan view of the second portion of the invention;
 FIG. 25 is a bottom plan view thereof;
 FIG. 26 is a rear elevational view of the support member, shown fully collapsed;
 FIG. 27 is a top plan view thereof;
 FIG. 28 is a front elevational view thereof;
 FIG. 29 is a rear elevational view of the support shown fully extended;
 FIG. 30 is a side elevational view of the support member and the fourth member of the set of hand signals, shown joined together;
 FIG. 31 is a rear elevational view thereof;
 FIG. 32 is an elevational view of the side opposite that shown in FIG. 30.






FIG. 1



FIG. 2



FIG. 3




FIG. 4



FIG. 5



FIG. 6




FIG. 7



FIG. 8



FIG. 9




FIG. 10



FIG. 11




FIG. 12




FIG. 13



FIG. 14



FIG. 15




FIG. 16



FIG. 17




FIG. 18




FIG. 19



FIG. 20




FIG. 21



FIG. 22



FIG. 23



FIG. 24



FIG. 25




FIG. 26



FIG. 27




FIG. 28




FIG. 29



FIG. 30




FIG. 31



FIG. 32