

# United States Patent [19]

Inoue et al.

[11] Patent Number: **Des. 295,784**

[45] Date of Patent: **\*\* May 17, 1988**

[54] **ELECTRODE PAD FOR AN ELECTROCARDIOGRAPH**

[75] Inventors: **Hirokatsu Inoue, Chiba; Chuji Shimizu, Funabashi, both of Japan**

[73] Assignee: **Fukuda Denshi Co., Ltd., Tokyo, Japan**

[\*\*] Term: **14 Years**

[21] Appl. No.: **778,053**

[22] Filed: **Sep. 20, 1985**

[52] U.S. Cl. .... **D24/17; D24/8; D24/29**

[58] Field of Search ..... **D24/29, 17, 21, 8; 128/640, 641, 639, 798, 784, 908, 731, 419 R, 419 D**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 240,276 6/1976 Cartmell et al. .... D24/29

4,126,126 11/1978 Bare et al. .... 128/639  
4,311,152 1/1982 Modes et al. .... 128/641  
4,556,066 12/1985 Semrow ..... 128/639 X

*Primary Examiner*—A. Hugo Word  
*Assistant Examiner*—Stella M. Reid  
*Attorney, Agent, or Firm*—Pollock, VandeSande & Priddy

[57] **CLAIM**

The ornamental design for an electrode pad for an electrocardiograph, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of an electrode pad for an electrocardiograph showing our new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a side elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a top perspective view thereof; FIG. 7 is a bottom perspective view thereof.




FIG.1




FIG.4




FIG.2




FIG.5




FIG.3




FIG. 6




FIG. 7

