

United States Patent [19]

Benjamin

[11] Patent Number: Des. 295,827

[45] Date of Patent: ** May 24, 1988

[54] PULL

[75] Inventor: E. Burton Benjamin, Highland Park, Ill.

[73] Assignee: Amerock Corporation, Rockford, Ill.

[**] Term: 14 Years

[21] Appl. No.: 867,303

[22] Filed: May 27, 1986

[52] U.S. Cl. D8/317

[58] Field of Search D8/300, 315-320;
16/110 R, 111 R, 118, 121, 124, 126, 127

[56] References Cited

U.S. PATENT DOCUMENTS

- | | | | |
|------------|---------|----------------|--------|
| D. 83,157 | 1/1931 | Graff | D8/308 |
| D. 109,464 | 5/1938 | Aldeen . | |
| D. 109,465 | 5/1938 | Aldeen . | |
| D. 109,466 | 5/1938 | Aldeen . | |
| D. 118,009 | 12/1939 | Borchers . | |
| D. 121,560 | 7/1940 | Borchers . | |
| D. 123,853 | 12/1940 | Borchers . | |
| D. 130,321 | 11/1941 | Borchers . | |
| D. 140,761 | 4/1945 | Borchers . | |
| D. 142,943 | 11/1945 | Borchers . | |
| D. 157,778 | 3/1950 | Neumann | D8/306 |
| D. 178,865 | 10/1956 | Clayton . | |
| D. 190,561 | 6/1961 | Morgan . | |
| D. 200,195 | 2/1965 | Clayton . | |
| D. 204,128 | 3/1966 | Clayton . | |
| D. 206,114 | 11/1966 | Morgan . | |
| D. 206,794 | 1/1967 | Clayton . | |
| D. 208,691 | 9/1967 | Morgan . | |
| D. 270,994 | 10/1983 | Tegner . | |
| D. 290,683 | 7/1987 | Dartnall | D8/319 |
| 3,813,729 | 6/1974 | Szabo | 16/126 |

OTHER PUBLICATIONS

Home Hardware Price List No. S116; eff. 4/1/82, p. 7,
expo knob A851 (fourth from top).
Arbitare 213; 4/1983; p. 7; lever (left of center).

Primary Examiner—B. J. Bullock
Attorney, Agent, or Firm—Leydig, Voit & Mayer, Ltd.

[57] CLAIM

The ornamental design for a pull, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a pull showing my new design.

FIG. 2 is a bottom plan view thereof, the top plan view being identical thereto.

FIG. 3 is a rear elevational view thereof.

FIG. 4 is a side elevational view thereof as taken from the right of FIG. 2, the opposite side elevational view being identical thereto.

FIG. 5 is a cross-section taken in the direction of the arrows on line 5—5 of FIG. 2;

FIG. 6 is an enlarged fragmentary cross-section taken in the direction of the arrows on line 6—6 of FIG. 1;

FIG. 7 is a front elevational view of a second embodiment of the design of FIG. 1;

FIG. 8 is a bottom plan view of FIG. 7, the top plan view being identical thereto;




FIG. 9 is a rear elevationl view of FIG. 7;

FIG. 10 is a side elevational view of FIG. 7, the opposite side elevational view being identical thereto;

FIG. 11 is a cross-section taken in the direction of the arrows on line 11—11 of FIG. 8;

FIG. 12 is a cross-section taken in the direction of the arrows on line 12—12 of FIG. 8;

FIG. 13 is an enlarged fragmentary cross-section taken in the direction of the arrows on line 13—13 of FIG. 7.






FIG. 1.




FIG. 2.



FIG. 4.




FIG. 3.



FIG. 5.




FIG. 6.




Fig. 7.




Fig. 10.




Fig. 8.



Fig. 11.




Fig. 9.




Fig. 12.




Fig. 13.