

[54] CLOSURE FOR BAG, KNAPSACK, OR THE LIKE

[76] Inventor: Hasuike Makio, Via Mario Donati no. 8, Milan, Italy

[**] Term: 14 Years

[21] Appl. No.: 754,887

[22] Filed: Jul. 15, 1985

[30] Foreign Application Priority Data

Jan. 24, 1985 [IT] Italy 20583/85[U]
[52] U.S. Cl. D3/54; D11/200
[58] Field of Search D11/200, 201, 220, 222; D3/49, 54; 24/489, 505, 517, 595, 596; 190/119-121; 150/118, 120, 123, 125; 292/204, 218

[56] References Cited

U.S. PATENT DOCUMENTS

D. 263,649 4/1982 Schimmel D3/54 X
715,495 12/1902 Merrill et al. 24/517 X
1,931,707 10/1933 Quigan 150/123 X

3,025,093 3/1962 Millman 292/204
3,405,431 10/1968 Polon 24/595
3,909,888 10/1975 Funston et al. 292/204 X

Primary Examiner—Louis S. Zarfes
Attorney, Agent, or Firm—Beveridge, DeGrandi & Weilacher

[57] CLAIM

The ornamental design for a closure for bag, knapsack or the like, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a closure for bag, knapsack, or the like showing my new design;
FIG. 2 is a top plan view of the female component thereof;
FIG. 3 is a side elevational view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is an end elevational view thereof;
FIG. 6 is a top plan view of the male component thereof;
FIG. 7 is a side elevational view thereof;
FIG. 8 is a bottom plan view thereof; and
FIG. 9 is an end elevational view thereof.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5



Fig. 6




Fig. 7




Fig. 8




Fig. 9

