

[54] COMBINATION CARGO BELT-STRAP WINDER ASSEMBLY

[76] Inventor: Charles F. Ferrell, Rte. 3, Box 42, Steele, Mo. 68377-1314

[\*\*] Term: 14 Years

[21] Appl. No.: 859,257

[22] Filed: May 2, 1986

[52] U.S. Cl. .... D8/359; D8/358; 242/86.52

[58] Field of Search ..... D8/358, 359, DIG. 1; 242/86.52, 96, 129.3; 24/545, 544; 248/51, 309.2, 439, 503, 505; 52/34

[56] References Cited

U.S. PATENT DOCUMENTS

D. 205,533	8/1966	Grunewold	.....	D8/359
D. 207,470	4/1967	Unter	.....	D8/DIG. 1
D. 242,216	11/1976	Diedrich	.....	D8/359
D. 245,397	8/1977	Duncan	.....	D8/359
574,317	12/1896	Fields et al.	.....	242/129.3
616,787	12/1898	Gunn	.....	24/71.2 X
1,599,966	9/1926	Higgins et al.	.....	242/86.52 X
2,062,108	11/1936	Rickerson	.....	74/545 X
2,190,005	2/1940	Bashorn	.....	74/545
2,543,151	2/1951	Cerneale	.....	74/545 X
2,724,981	11/1955	Lenart	.....	74/544 X
3,082,983	3/1963	Kaller	.....	248/51
3,258,220	6/1966	Munger	.....	242/96
3,503,276	3/1970	Vigot	.....	74/544
3,827,650	8/1974	Stovens	.....	242/86.5
4,007,887	2/1977	Vice	.....	242/56.5 R
4,083,264	4/1978	Van Klompenburg	.....	74/545

4,266,740 5/1981 Ramus et al. .... 242/86.52  
4,688,739 8/1987 Moore ..... 242/96 X

Primary Examiner—Horace B. Fay  
Attorney, Agent, or Firm—Walker & McKenzie

[57] CLAIM

The ornamental design for combination cargo belt-strap winder assembly, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a combination cargo belt-strap winder assembly showing my new design; FIG. 2 is a front elevational view thereof, the rear view being substantially a mirror image; FIG. 3 is a top plan view thereof, the bottom plan view being substantially similar in overall outline; FIGS. 4 and 5 are respectively right and left end elevational views thereof; FIG. 6 is a perspective view of the socket mount component of the combination assembly; FIGS. 7 and 8 are respectively right and left end elevational views thereof; FIG. 9 is a top plan view of the socket mount component of the combination assembly, with bottom, front and rear views being substantially identical; FIG. 10 is a perspective view of the winder component of the combination assembly; FIG. 11 is a front elevational view of the winder component thereof; FIGS. 12 and 13 are respectively right and left end elevational views of the winder component thereof; and FIG. 14 is a top plan view of the winder component of the assembly, the bottom plan view being substantially similar in overall outline.





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10




FIG. 11




FIG. 12



FIG. 13



FIG. 14

