

[54] SURFACE TESTING MACHINE

[75] Inventors: Karl Hutter, VS-Mühlhausen; Jürgen Wilde, Stuttgart; Thomas Weissweiler, Brigachtal-Klengen; Werner Lenz, Rimbach; Bernd Dreier, Mannheim; Jörg Schmidt, Dauchingen; Ernst Schwär, VS-Mühlhausen; Eckehart Gortat, VS-Schwenningen, all of Fed. Rep. of Germany

[73] Assignee: Hommelwerke GmbH, Fed. Rep. of Germany

[\*\*] Term: 14 Years

[21] Appl. No.: 746,990

[22] Filed: Jun. 19, 1985

[30] Foreign Application Priority Data

Dec. 23, 1984 [DE] Fed. Rep. of Germany ..... MR1235  
[52] U.S. CL ..... D10/46; D10/78  
[58] Field of Search ..... D10/46, 75, 78, 81, D10/102, 103; 73/104, 105, 150 R, 150 A

[56]

References Cited

U.S. PATENT DOCUMENTS

D. 191,994	12/1961	Fitts	.....	D10/46 X
2,733,598	2/1956	Miner	.....	73/105
3,112,642	12/1963	Harmon	.....	73/105
3,504,552	4/1970	Hiller	.....	73/105 X
3,571,579	3/1971	Whitehouse	.....	73/105 X

OTHER PUBLICATIONS

*Product Engineering*—10/78—p. 108—coating thickness gage at top center.

*Primary Examiner*—Nelson C. Holtje  
*Attorney, Agent, or Firm*—Allegretti, Newitt, Witcoff & McAndrews, Ltd.

[57]

CLAIM

The ornamental design for the surface testing machine, as shown and described.

DESCRIPTION

FIG. 1 is a front and top-right perspective view of a surface testing machine showing our new design with the upper portions thereof in a upwardly tilted position; FIG. 2 is a front and top-left perspective view thereof; FIG. 3 is a top and left front perspective view thereof with the paper receiver cover open and the upper portions in the down position; FIG. 4 is a top and right rear perspective view of FIGS. 1 and 2.




Fig. 1




Fig. 2




Fig. 3




Fig. 4

