

[54] **ELECTRIC CONNECTOR RECEPTACLE OR THE LIKE**

[75] Inventor: Sigeru Kikuta, Tokyo, Japan

[73] Assignee: Hirose Electric Co., Ltd., Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 718,211

[22] Filed: Mar. 29, 1985

[30] **Foreign Application Priority Data**

Oct. 2, 1984 [JP]	Japan	59-40898
Oct. 2, 1984 [JP]	Japan	59-40899
Oct. 2, 1984 [JP]	Japan	59-40900
Oct. 2, 1984 [JP]	Japan	59-40901
Feb. 26, 1985 [JP]	Japan	60-7258
Feb. 26, 1985 [JP]	Japan	60-7259
Feb. 26, 1985 [JP]	Japan	60-7260
Feb. 26, 1985 [JP]	Japan	60-7261
[52] U.S. Cl.	D13/25	
[58] Field of Search	D13/11-13, D13/20, 23-31, 99; 339/176 R, 176 M, 176 MP, 154 A, 154 R	

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 210,829	4/1968	Hanlon et al.	D13/24
2,927,296	3/1960	Boss et al.	339/176 MP
4,033,656	7/1977	Freehauf et al.	339/17 CF
4,113,179	9/1978	McKee	339/176 M
4,125,313	11/1978	Sipp et al.	339/176 M

FOREIGN PATENT DOCUMENTS

626422	4/1963	Belgium	339/176 R
2842892	4/1979	Fed. Rep. of Germany	339/176 R

Primary Examiner—Susan J. Lucas

Assistant Examiner—Clare E. Heflin

Attorney, Agent, or Firm—Fleit, Jacobson, Cohn & Price

[57] **CLAIM**

The ornamental design for an electric connector receptacle or the like, substantially as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the electric connec-

tor receptacle or the like showing a first embodiment of my new design;

FIG. 2 is a bottom perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a right side side elevational view thereof;

FIG. 8 is a cross-sectional view thereof taken along line 8—8 of FIG. 5;

FIG. 9 is a top perspective view of the electric connector receptacle or the like showing a second embodiment of my new design;

FIG. 10 is a top perspective view of the electric connector receptacle or the like showing a third embodiment of my new design;

FIG. 11 is a top perspective view of the electric connector receptacle or the like showing a fourth embodiment of my new design;

FIG. 12 is a top perspective view of the electric connector receptacle or the like showing a fifth embodiment of my new design;

FIG. 13 is a top perspective view of the electric connector receptacle or the like showing a sixth embodiment of my new design;

FIG. 14 is a top perspective view of the electric connector receptacle or the like showing a seventh embodiment of my new design;

FIG. 15 is a top perspective view of the electric connector receptacle or the like showing an eighth embodiment of my new design;

FIG. 16 is a top plan view of the fourth embodiment of my new design;

FIG. 17 is a bottom plan view of the fourth embodiment;

FIG. 18 is a top plan view of the fifth embodiment;

FIG. 19 is a side elevational view of the fifth embodiment;

FIG. 20 is a bottom plan view of the fifth embodiment;

FIG. 21 is a top plan view of the seventh embodiment of my new design;

FIG. 22 is a side elevational view of the seventh embodiment; and

FIG. 23 is a bottom plan view of the seventh embodiment.




FIG. 1




FIG. 2




FIG. 3




FIG.4




FIG.7




FIG.5




FIG.8




FIG.6




FIG.9




FIG.10




FIG.11




FIG.12




FIG.13




FIG.14




FIG.15




FIG.16




FIG.17




FIG.18




FIG.19




FIG. 20




FIG. 23




FIG. 21




FIG. 22

