

[54] COMBINED SPOUT AND DRAIN CONTROL LEVER

[75] Inventor: Axel Enthoven, Wijnegem, Belgium

[73] Assignee: American Standard Inc., New York, N.Y.

[**] Term: 14 Years

[21] Appl. No.: 104,308

[22] Filed: Oct. 5, 1987

Related U.S. Application Data

[62] Division of Ser. No. 735,927, May 20, 1985.

[30] Foreign Application Priority Data

Nov. 20, 1984 [BE] Belgium 03457/01-05

[52] U.S. Cl. D23/257

[58] Field of Search D23/238-243, D23/255-257; 4/191, 192; 137/801

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 288,117 2/1987 Paul D23/255
- D. 289,916 5/1987 Delepine D23/255
- D. 290,159 6/1987 Jans D23/242
- D. 290,644 6/1987 Paul D23/255


Primary Examiner—James R. Largen
Attorney, Agent, or Firm—Robert G. Crooks; James J. Salerno, Jr.; John P. Sinnott

[57] CLAIM

The ornamental design for combined spout and drain control lever, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a combined spout and drain control lever showing my new design;
FIG. 2 is a right side elevational view thereof, the left side being a mirror image of the right side shown;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a rear elevational view thereof; and
FIG. 5 is a front elevational view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4