## United States Patent [19]

### Knothe et al.

[11] Patent Number: Des. 296,307

[45] Date of Patent: \*\* Jun. 21, 1988

		-		
[54]	ELECTRONIC BALANCE			
[75]	Inventors:	Erich Knothe, Bovenden; Hans-Heinrich Köhne, Göttingen, both of Fed. Rep. of Germany		
[73]	Assignee:	Sartorius, GmbH, Fed. Rep. of Germany		
[**]	Term:	14	Years	
[21]	Appl. No.:	741	1,620	
[22]	Filed:	Jui	n. 5. 1985	
• 4			D10/91	
[ J			177/181, 238-241	
[56] References Cited				
U.S. PATENT DOCUMENTS				
D.	165,996 2/1	952	Otto D10/90	
	_		Becker D10/90	
1,784,098 12/1930			Heusser 177/181 X	
			Kaduec 177/181	
, ,			Schmitter 177/238 X	
4	,664,207 5/1	987	Knothe 177/238 X	

Primary Examiner—Nelson C. Holtje Attorney, Agent, or Firm—Eric P. Schellin

[57]

#### **CLAIM**

FOREIGN PATENT DOCUMENTS

461121 10/1968 Switzerland ...... 177/238

The ornamental design for an electronic balance, as shown and described.

### DESCRIPTION

FIG. 1 is a left front perspective view of an electronic balance showing our new design;

FIG. 2 is a left front perspective view thereof with the access doors open;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a left side elevational view thereof, the right side being a mirror image thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a left front perspective view of a second embodiment of our new design of FIGS. 1-6;

FIG. 8 is a left front perspective view thereof with the access doors open;

FIG. 9 is a front elevational view thereof;

FIG. 10 is a left side elevational view thereof, the right side being a mirror image thereof;

FIG. 11 is a top plan view thereof;

FIG. 12 is a bottom plan view thereof;

FIG. 13 is a left front perspective view of a third embodiment of our new design of FIGS. 1-6;

FIG. 14 is a left front perspective view thereof with the access doors open;

FIG. 15 is a front elevational view thereof;

FIG. 16 is a left side elevational view thereof, the right side being a mirror image thereof;

FIG. 17 is a top plan view thereof;

FIG. 18 is a bottom plan view thereof;

FIG. 19 is a left front perspective view of a fourth embodiment of our new design of FIGS. 1-6;

FIG. 20 is a left front perspective view thereof with the access doors open;

FIG. 21 is a front elevational view thereof;

FIG. 22 is a left side elevational view thereof, the right side being a mirror image thereof;

FIG. 23 is a top plan view thereof;

FIG. 24 is a bottom plan view thereof;

FIG. 25 is a left front perspective view of a fifth embodiment of our new design of FIGS. 1-6;

FIG. 26 is a left front perspective view thereof with the access doors open;

FIG. 27 is a front elevational view thereof;

FIG. 28 is a left side elevational view thereof, the right side being a mirror image thereof;

FIG. 29 is a top plan view thereof;

FIG. 30 is a bottom plan view thereof;

FIG. 31 is a left front perspective view of a sixth embodiment of our new design of FIGS. 1-6;

FIG. 32 is a left front perspective view thereof with the access doors open;

FIG. 33 is a front elevational view thereof;

FIG. 34 is a left side elevational view thereof, the right side being a mirror image thereof;

FIG. 35 is a top plan view thereof;

FIG. 36 is a bottom plan view thereof;

FIG. 37 is a left front perspective view of a seventh embodiment of our new design of FIGS. 1-6;

(Continued on next page.)




FIG. 38 is a left front perspective view thereof with the access doors open;

FIG. 39 is a front elevational view thereof;

FIG. 40 is a left side elevational view thereof, the right side being a mirror image thereof;

FIG. 41 is a top plan view thereof;

FIG. 42 is a bottom plan view thereof;

FIG. 43 is a left front perspective view of a eighth embodiment of our new design of FIGS. 1-6;

FIG. 44 is a left front perspective view thereof with the access doors open;

FIG. 45 is a front elevational view thereof;

FIG. 46 is a left side elevational view thereof, the right side being a mirror image thereof;

FIG. 47 is a top plan view thereof;

FIG. 48 is a bottom plan view thereof;

FIG. 49 is a left front perspective view of a ninth embodiment of our new design of FIGS. 1-6;

FIG. 50 is a left front perspective view thereof with the


access doors open; FIG. 51 is a front elevational view thereof;


FIG. 52 is a left side elevational view thereof, the right side being a mirror image thereof;

FIG. 53 is a top plan view thereof;


FIG. 54 is a bottom plan view thereof.

Jun. 21, 1988







Hin.3



U.S. Patent





Hig. S




U.S. Patent

Hig. 6






•



# Hig. 9



U.S. Patent

**Sheet 10 of 54** 

Hig. 10







Fig. 11




U.S. Patent


Hin. 12








Hig. 15




Hin. 16



•


•

Hig. 17





U.S. Patent

Fig. 18




•







Hig. 21




Hig. 22





Hig. 23




Hig. 24









Hig. 27



Hin. 28





Hig. 29



Hig. 30

Jun. 21, 1988










Fig. 33




Hig. 34





· ·


Hig. 35




Hig. 36











•


Hig. 4.0





Hig. 4.1



Hig. 4.2







Hig. 4.5






Fig. 4.6





Hin. 47




Hig. 4.8

**Sheet 48 of 54** 









U.S. Patent


Sheet 51 of 54



Hig. 52



Hig. 53



Hin. 54

