

[54] CORRUGATED PIPE

[76] Inventor: Shiro Kanao, No. 9-18, Nanpeidai  
4-Chome, Takatsuki-Shi, Osaka,  
Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 708,469

[22] Filed: Mar. 5, 1985

[30] Foreign Application Priority Data

Nov. 9, 1984 [JP] Japan ..... 59-46370

[52] U.S. Cl. .... D23/266

[58] Field of Search ..... D23/40-47,  
D23/266; 138/103, 105, 122; 405/43, 45, 48, 49

[56] References Cited

U.S. PATENT DOCUMENTS

D. 213,828	4/1969	Blake	.....	D23/45
D. 222,643	11/1971	Martin et al.	.....	D23/45
D. 235,100	5/1975	Maroschak	.....	D23/45
2,073,335	3/1937	Connell	.....	138/122
3,878,685	4/1975	Schmunk	.....	405/49

3,926,222	12/1975	Shroy et al.	.....	405/49 X
4,113,818	9/1978	Drossbach	.....	405/49 X
4,163,619	8/1979	Fales	.....	405/49
4,175,882	11/1979	Gilead	.....	405/43
4,182,580	1/1980	Hieda et al.	.....	405/49 X
4,624,603	11/1986	Kanao	.....	405/49

Primary Examiner—James R. Largen  
Attorney, Agent, or Firm—Sughrue, Mion, Zinn,  
Macpeak, and Seas

[57] CLAIM

The ornamental design for a corrugated pipe, as shown and described.

DESCRIPTION

FIG. 1 is a side elevational view of a corrugated pipe showing my new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is an end elevational view thereof;  
FIG. 4 is a bottom plan view thereof;  
FIG. 5 is an elevational view taken from the end opposite that shown in FIG. 3; and  
FIG. 6 is an elevational view taken from the side opposite that shown in FIG. 1.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

